

Network Working Group  
Request for Comments: 3700  
Obsoletes: 3600  
STD: 1  
Category: Standards Track

Internet Engineering Task Force  
J. Reynolds, Ed.  
S. Ginoza, Ed.  
July 2004

## Internet Official Protocol Standards

### Status of this Memo

This memo is an Internet Standard. Distribution of this memo is unlimited.

### Copyright Notice

Copyright (C) The Internet Society (2004).

### Abstract

This memo contains a snapshot of the state of standardization of protocols used in the Internet as of July 22, 2004. It lists official protocol standards and Best Current Practice RFCs; it is not a complete index to the RFC series. The latest version of this memo is designated STD 1.

### Table of Contents

|      |                                                              |    |
|------|--------------------------------------------------------------|----|
| 1.   | Overview . . . . .                                           | 2  |
| 2.   | Contacts . . . . .                                           | 2  |
| 2.1. | Internet-Related Organizations . . . . .                     | 2  |
| 2.2. | Request for Comments Editor (RFC Editor) Web Pages . . . . . | 2  |
| 2.3. | Retrieval using FTP . . . . .                                | 3  |
| 2.4. | Search and Retrieval Using Email . . . . .                   | 4  |
| 3.   | Current Technical Specifications . . . . .                   | 5  |
| 3.1. | Standard Protocols Ordered by STD . . . . .                  | 5  |
| 3.2. | Standard Protocols Ordered by RFC . . . . .                  | 8  |
| 3.3. | Draft Standard Protocols . . . . .                           | 11 |
| 3.4. | Proposed Standard Protocols . . . . .                        | 14 |
| 3.5. | Best Current Practice by BCP . . . . .                       | 40 |
| 3.6. | Best Current Practice by RFC . . . . .                       | 44 |
| 3.7. | Experimental Protocols . . . . .                             | 48 |
| 4.   | Security Considerations . . . . .                            | 53 |
| 5.   | Editors' Addresses . . . . .                                 | 53 |
| 6.   | Full Copyright Statement . . . . .                           | 54 |

## 1. Overview

This memo contains a snapshot of the state of standardization of protocols used in the Internet, as determined by the Internet Engineering Task Force (IETF). It is a July 22, 2004 snapshot of the current official protocol standards list and the Best Current Practice list, which is updated daily and is available from the RFC Editor Web site.

The RFC Editor publishes Request for Comments (RFC) documents that are the output of the IETF process or are submitted individually via electronic mail. Further information about the RFC series is contained in section 2.1, RFC 2026 and at <http://www.rfc-editor.org>.

This memo is published by the RFC Editor for the IESG and IAB in accordance with Section 2.1 of "The Internet Standards Process -- Revision 3", RFC 2026, which specifies the rules and procedures by which all Internet standards are set. Sections 3.1 - 3.7 of this memo contain the lists of protocols in each stage of standardization - Standard, Draft Standard, Proposed Standard, Experimental, as well as Best Current Practice documents. Protocols that are new to this document or have been moved from one protocol level to another, or that differ from the previous edition of this document are marked with an asterisk. Informational and Historic RFCs are not included. This memo lists the current standards track, Best Current Practice, and Experimental protocols; it is not a complete index to RFCs.

## 2. Resources

This section contains important contact information, for reference.

### 2.1. Internet-Related Organizations

Internet Architecture Board (IAB) Contact: [www.iab.org](http://www.iab.org)

Internet Engineering Task Force (IETF) Contact: [www.ietf.org](http://www.ietf.org)

Internet Research Task Force (IRTF) Contact: [www.irtf.org](http://www.irtf.org)

Internet Assigned Numbers Authority (IANA) Contact: [www.iana.org](http://www.iana.org)

### 2.2. Request for Comments Editor (RFC Editor) Web Pages

The RFC Editor maintains the official repository of all RFCs and indexes to them. The RFC Editor web site is:

<http://www.rfc-editor.org>.

At this URL, a user can:

- (a) Obtain the current "Internet Official Protocol Standards" list.  
See:

<http://www.rfc-editor.org/rfcxx00.html>

This hyper-linked listing is updated daily.

- (b) Retrieve the latest version of this STD 1 memo. See:

<http://www.rfc-editor.org/go.html>, and select STD and "1".

- (c) Retrieve text of any RFC. See:

<http://www.rfc-editor.org/go.html>

- (d) Search for RFCs by category. See:

<http://www.rfc-editor.org/category.html>

- (e) Search the RFC index for document number, author, title, and/or keywords, and retrieve the text of any matching documents. See:

<http://www.rfc-editor.org/rfcsearch.html>

RFC information can also be retrieved using FTP or email.

### 2.3. Retrieval using FTP

RFC-related files may be copied via FTP from the FTP.RFC-EDITOR.ORG computer using the FTP username "anonymous" and password "name@host.domain". An FTP user can:

- (a) Retrieve the latest version of this STD 1 memo.

File: "in-notes/std/std1.txt"

- (b) Retrieve text of any RFC.

File: "in-notes/rfcnnnn.txt" will retrieve the ASCII version. Some RFCs also have secondary Postscript and/or PDF versions, available from File: "in-notes/rfcnnnn.ps" and/or "in-notes/rfcnnnn.pdf", respectively.

Here "nnnn" is a 1-4 digit RFC number, with no leading zeros.

## 2.4. Search and Retrieval Using Email

To use the RFC Editor's email-based RFC-INFO service, send a request to:

`RFC-INFO@RFC-EDITOR.ORG`

In the message body, include your information request. For example, the following message bodies may be used.

(a) To retrieve the latest version of this STD 1 memo:

`Retrieve: STD`  
`Doc-ID: STD0001`

(b) To retrieve ASCII text of any RFC:

`Retrieve: RFC`  
`Doc-ID: RFCnnnn`

Here "nnnn" must be filled with leading zeros to 4 digits.

(c) The RFC-INFO@RFC-EDITOR.ORG server provides other capabilities, e.g., search and retrieval based on author, title, and/or keyword. For more information, send the following message body to the server:

`help: help`

The server will email back the results.

### 3. Current Technical Specifications

#### 3.1. Standard Protocols Ordered by STD

| Mnemonic   | Title                                                                               | RFC# | STD# |
|------------|-------------------------------------------------------------------------------------|------|------|
| -----      | Internet Official Protocol Standards                                                | 3700 | 1*   |
| -----      | [Reserved for Assigned Numbers. See RFC 1700 and RFC 3232.]                         |      | 2    |
| -----      | Requirements for Internet Hosts - Communication Layers                              | 1122 | 3    |
| -----      | Requirements for Internet Hosts - Application and Support                           | 1123 | 3    |
| -----      | [Reserved for Router Requirements. See RFC 1812.]                                   |      | 4    |
| IP         | Internet Protocol                                                                   | 791  | 5    |
| ICMP       | Internet Control Message Protocol                                                   | 792  | 5    |
| -----      | Broadcasting Internet Datagrams                                                     | 919  | 5    |
| -----      | Broadcasting Internet datagrams in the presence of subnets                          | 922  | 5    |
| -----      | Internet Standard Subnetting Procedure                                              | 950  | 5    |
| IGMP       | Host extensions for IP multicasting                                                 | 1112 | 5    |
| UDP        | User Datagram Protocol                                                              | 768  | 6    |
| TCP        | Transmission Control Protocol                                                       | 793  | 7    |
| TELNET     | Telnet Protocol Specification                                                       | 854  | 8    |
| TELNET     | Telnet Option Specifications                                                        | 855  | 8    |
| FTP        | File Transfer Protocol                                                              | 959  | 9    |
| SMTP       | Simple Mail Transfer Protocol                                                       | 821  | 10   |
| SMTP-SIZE  | SMTP Service Extension for Message Size Declaration                                 | 1870 | 10   |
| MAIL       | Standard for the format of ARPA Internet text messages                              | 822  | 11   |
| -----      | [Reserved for Network Time Protocol (NTP). See RFC 1305.]                           |      | 12   |
| DOMAIN     | Domain names - concepts and facilities                                              | 1034 | 13   |
| DOMAIN     | Domain names - implementation and specification                                     | 1035 | 13   |
| -----      | [Was Mail Routing and the Domain System. Now Historic.]                             |      | 14   |
| -----      | [Was Simple Network Management Protocol. Now Historic.]                             |      | 15   |
| SMI        | Structure and identification of management information for TCP/IP-based internets   | 1155 | 16   |
| Concise-MI | Concise MIB definitions                                                             | 1212 | 16   |
| MIB-II     | Management Information Base for Network Management of TCP/IP-based internets:MIB-II | 1213 | 17   |
| -----      | [Was Exterior Gateway Protocol (RFC 904). Now Historic.]                            |      | 18   |

|            |                                                                                                                                                           |      |    |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| NETBIOS    | Protocol standard for a NetBIOS service on<br>a TCP/UDP transport: Concepts and methods                                                                   | 1001 | 19 |
| NETBIOS    | Protocol standard for a NetBIOS service on<br>a TCP/UDP transport: Detailed specifications                                                                | 1002 | 19 |
| ECHO       | Echo Protocol                                                                                                                                             | 862  | 20 |
| DISCARD    | Discard Protocol                                                                                                                                          | 863  | 21 |
| CHARGEN    | Character Generator Protocol                                                                                                                              | 864  | 22 |
| QUOTE      | Quote of the Day Protocol                                                                                                                                 | 865  | 23 |
| USERS      | Active users                                                                                                                                              | 866  | 24 |
| DAYTIME    | Daytime Protocol                                                                                                                                          | 867  | 25 |
| TIME       | Time Protocol                                                                                                                                             | 868  | 26 |
| TOPT-BIN   | Telnet Binary Transmission                                                                                                                                | 856  | 27 |
| TOPT-ECHO  | Telnet Echo Option                                                                                                                                        | 857  | 28 |
| TOPT-SUPP  | Telnet Suppress Go Ahead Option                                                                                                                           | 858  | 29 |
| TOPT-STAT  | Telnet Status Option                                                                                                                                      | 859  | 30 |
| TOPT-TIM   | Telnet Timing Mark Option                                                                                                                                 | 860  | 31 |
| TOPT-EXTOP | Telnet Extended Options: List Option                                                                                                                      | 861  | 32 |
| TFTP       | The TFTP Protocol (Revision 2)                                                                                                                            | 1350 | 33 |
| -----      | [Was Routing Information Protocol (RIP).<br>Replaced by STD 56.]                                                                                          |      | 34 |
| TP-TCP     | ISO transport services on top of the TCP:<br>Version 3                                                                                                    | 1006 | 35 |
| IP-FDDI    | Transmission of IP and ARP over FDDI Networks                                                                                                             | 1390 | 36 |
| ARP        | Ethernet Address Resolution Protocol: Or<br>converting network protocol addresses to 48.<br>bit Ethernet address for transmission on<br>Ethernet hardware | 826  | 37 |
| RARP       | Reverse Address Resolution Protocol                                                                                                                       | 903  | 38 |
| IP-ARPA    | [Was BBN Report 1822 (IMP/Host Interface).<br>Now Historic.]                                                                                              |      | 39 |
| IP-WB      | Host Access Protocol specification                                                                                                                        | 907  | 40 |
| IP-E       | Standard for the transmission of IP datagrams<br>over Ethernet networks                                                                                   | 894  | 41 |
| IP-EE      | Standard for the transmission of IP datagrams<br>over experimental Ethernet networks                                                                      | 895  | 42 |
| IP-IEEE    | Standard for the transmission of IP datagrams<br>over IEEE 802 networks                                                                                   | 1042 | 43 |
| IP-DC      | DCN local-network protocols                                                                                                                               | 891  | 44 |
| IP-HC      | Internet Protocol on Network System's<br>HYPERchannel: Protocol specification                                                                             | 1044 | 45 |
| IP-ARC     | Transmitting IP traffic over ARCNET networks                                                                                                              | 1201 | 46 |
| IP-SLIP    | Nonstandard for transmission of IP datagrams<br>over serial lines: SLIP                                                                                   | 1055 | 47 |
| IP-NETBIOS | Standard for the transmission of IP datagrams<br>over NetBIOS networks                                                                                    | 1088 | 48 |
| IP-IPX     | Standard for the transmission of 802.2 packets<br>over IPX networks                                                                                       | 1132 | 49 |

|            |                                                                                                    |      |     |
|------------|----------------------------------------------------------------------------------------------------|------|-----|
| -----      | [Reserved for Definitions of Managed Objects for the Ethernet-like Interface Types. See RFC 3638.] |      | 50  |
| PPP        | The Point-to-Point Protocol (PPP)                                                                  | 1661 | 51  |
| PPP-HDLC   | PPP in HDLC-like Framing                                                                           | 1662 | 51  |
| IP-SMDS    | Transmission of IP datagrams over the SMDS Service                                                 | 1209 | 52  |
| POP3       | Post Office Protocol - Version 3                                                                   | 1939 | 53  |
| OSPF2      | OSPF Version 2                                                                                     | 2328 | 54  |
| IP-FR      | Multiprotocol Interconnect over Frame Relay                                                        | 2427 | 55  |
| RIP2       | RIP Version 2                                                                                      | 2453 | 56  |
| RIP2-APP   | RIP Version 2 Protocol Applicability Statement                                                     | 1722 | 57  |
| SMIv2      | Structure of Management Information Version 2 (SMIv2)                                              | 2578 | 58  |
| CONV-MIB   | Textual Conventions for SMIv2                                                                      | 2579 | 58  |
| CONF-MIB   | Conformance Statements for SMIv2                                                                   | 2580 | 58  |
| RMON-MIB   | Remote Network Monitoring Management Information Base                                              | 2819 | 59  |
| SMTP-Pipe  | SMTP Service Extension for Command Pipelining                                                      | 2920 | 60  |
| ONE-PASS   | A One-Time Password System                                                                         | 2289 | 61  |
| ARCH-SNMP  | An Architecture for Describing Simple Network Management Protocol (SNMP) Management Frameworks     | 3411 | 62  |
| MPD-SNMP   | Message Processing and Dispatching for the Simple Network Management Protocol (SNMP)               | 3412 | 62  |
| SNMP-APP   | Simple Network Management Protocol (SNMP) Applications                                             | 3413 | 62  |
| USM-SNMPV3 | User-based Security Model (USM) for version 3 of the Simple Network Management Protocol (SNMPv3)   | 3414 | 62  |
| VACM-SNMP  | View-based Access Control Model (VACM) for the Simple Network Management Protocol (SNMP)           | 3415 | 62  |
| OPS-MIB    | Version 2 of the Protocol Operations for the Simple Network Management Protocol (SNMP)             | 3416 | 62  |
| TRANS-MIB  | Transport Mappings for the Simple Network Management Protocol (SNMP)                               | 3417 | 62  |
| SNMPv2-MIB | Management Information Base (MIB) for the Simple Network Management Protocol (SNMP)                | 3418 | 62  |
| UTF-8      | UTF-8, a transformation format of ISO 10646                                                        | 3629 | 63* |
| RTP        | RTP: A Transport Protocol for Real-Time Applications                                               | 3550 | 64* |
| RTP-AV     | RTP Profile for Audio and Video Conferences with Minimal Control                                   | 3551 | 65* |

[Note: an asterisk at the end of a line indicates a change from the previous edition of this document.]

## 3.2. Standard Protocols Ordered by RFC

| Mnemonic   | Title                                                                                                  | STD#  | RFC#  |
|------------|--------------------------------------------------------------------------------------------------------|-------|-------|
| -----      | -----                                                                                                  | ----- | ----- |
| -----      | Internet Official Protocol Standards                                                                   | 1     | 3700* |
| UTF-8      | UTF-8, a transformation format of ISO 10646                                                            | 63    | 3629* |
| RTP-AV     | RTP Profile for Audio and Video Conferences<br>with Minimal Control                                    | 65    | 3551* |
| RTP        | RTP: A Transport Protocol for Real-Time<br>Applications                                                | 64    | 3550* |
| SNMPv2-MIB | Management Information Base (MIB) for the<br>Simple Network Management Protocol (SNMP)                 | 62    | 3418  |
| TRANS-MIB  | Transport Mappings for the Simple Network<br>Management Protocol (SNMP)                                | 62    | 3417  |
| OPS-MIB    | Version 2 of the Protocol Operations for the<br>Simple Network Management Protocol (SNMP)              | 62    | 3416  |
| VACM-SNMP  | View-based Access Control Model (VACM) for<br>the Simple Network Management Protocol (SNMP)            | 62    | 3415  |
| USM-SNMPV3 | User-based Security Model (USM) for version<br>3 of the Simple Network Management Protocol<br>(SNMPv3) | 62    | 3414  |
| SNMP-APP   | Simple Network Management Protocol (SNMP)<br>Applications                                              | 62    | 3413  |
| MPD-SNMP   | Message Processing and Dispatching for the<br>Simple Network Management Protocol (SNMP)                | 62    | 3412  |
| ARCH-SNMP  | An Architecture for Describing Simple Network<br>Management Protocol (SNMP) Management Frameworks      | 62    | 3411  |
| SMTP-Pipe  | SMTP Service Extension for Command Pipelining                                                          | 60    | 2920  |
| RMON-MIB   | Remote Network Monitoring Management Information<br>Base                                               | 59    | 2819  |
| CONF-MIB   | Conformance Statements for SMIV2                                                                       | 58    | 2580  |
| CONV-MIB   | Textual Conventions for SMIV2                                                                          | 58    | 2579  |
| SMIV2      | Structure of Management Information Version<br>2 (SMIV2)                                               | 58    | 2578  |
| RIP2       | RIP Version 2                                                                                          | 56    | 2453  |
| IP-FR      | Multiprotocol Interconnect over Frame Relay                                                            | 55    | 2427  |
| OSPF2      | OSPF Version 2                                                                                         | 54    | 2328  |
| ONE-PASS   | A One-Time Password System                                                                             | 61    | 2289  |
| POP3       | Post Office Protocol - Version 3                                                                       | 53    | 1939  |
| SMTP-SIZE  | SMTP Service Extension for Message Size Declaration                                                    | 10    | 1870  |
| RIP2-APP   | RIP Version 2 Protocol Applicability Statement                                                         | 57    | 1722  |
| PPP-HDLC   | PPP in HDLC-like Framing                                                                               | 51    | 1662  |
| PPP        | The Point-to-Point Protocol (PPP)                                                                      | 51    | 1661  |
| IP-FDDI    | Transmission of IP and ARP over FDDI Networks                                                          | 36    | 1390  |
| TFTP       | The TFTP Protocol (Revision 2)                                                                         | 33    | 1350  |
| MIB-II     | Management Information Base for Network Management<br>of TCP/IP-based internets:MIB-II                 | 17    | 1213  |
| Concise-MI | Concise MIB definitions                                                                                | 16    | 1212  |

|            |                                                                                         |    |      |
|------------|-----------------------------------------------------------------------------------------|----|------|
| IP-SMDS    | Transmission of IP datagrams over the SMDS Service                                      | 52 | 1209 |
| IP-ARC     | Transmitting IP traffic over ARCNET networks                                            | 46 | 1201 |
| SMI        | Structure and identification of management information for TCP/IP-based internets       | 16 | 1155 |
| IP-IPX     | Standard for the transmission of 802.2 packets over IPX networks                        | 49 | 1132 |
| -----      | Requirements for Internet Hosts - Application and Support                               | 3  | 1123 |
| -----      | Requirements for Internet Hosts - Communication Layers                                  | 3  | 1122 |
| IGMP       | Host extensions for IP multicasting                                                     | 5  | 1112 |
| IP-NETBIOS | Standard for the transmission of IP datagrams over NetBIOS networks                     | 48 | 1088 |
| IP-SLIP    | Nonstandard for transmission of IP datagrams over serial lines: SLIP                    | 47 | 1055 |
| IP-HC      | Internet Protocol on Network System's HYPERchannel: Protocol specification              | 45 | 1044 |
| IP-IEEE    | Standard for the transmission of IP datagrams over IEEE 802 networks                    | 43 | 1042 |
| DOMAIN     | Domain names - implementation and specification                                         | 13 | 1035 |
| DOMAIN     | Domain names - concepts and facilities                                                  | 13 | 1034 |
| TP-TCP     | ISO transport services on top of the TCP: Version 3                                     | 35 | 1006 |
| NETBIOS    | Protocol standard for a NetBIOS service on a TCP/UDP transport: Detailed specifications | 19 | 1002 |
| NETBIOS    | Protocol standard for a NetBIOS service on a TCP/UDP transport: Concepts and methods    | 19 | 1001 |
| FTP        | File Transfer Protocol                                                                  | 9  | 959  |
| -----      | Internet Standard Subnetting Procedure                                                  | 5  | 950  |
| -----      | Broadcasting Internet datagrams in the presence of subnets                              | 5  | 922  |
| -----      | Broadcasting Internet Datagrams                                                         | 5  | 919  |
| IP-WB      | Host Access Protocol specification                                                      | 40 | 907  |
| RARP       | Reverse Address Resolution Protocol                                                     | 38 | 903  |
| IP-EE      | Standard for the transmission of IP datagrams over experimental Ethernet networks       | 42 | 895  |
| IP-E       | Standard for the transmission of IP datagrams over Ethernet networks                    | 41 | 894  |
| IP-DC      | DCN local-network protocols                                                             | 44 | 891  |
| TIME       | Time Protocol                                                                           | 26 | 868  |
| DAYTIME    | Daytime Protocol                                                                        | 25 | 867  |
| USERS      | Active users                                                                            | 24 | 866  |
| QUOTE      | Quote of the Day Protocol                                                               | 23 | 865  |
| CHARGEN    | Character Generator Protocol                                                            | 22 | 864  |
| DISCARD    | Discard Protocol                                                                        | 21 | 863  |
| ECHO       | Echo Protocol                                                                           | 20 | 862  |
| TOPT-EXTOP | Telnet Extended Options: List Option                                                    | 32 | 861  |
| TOPT-TIM   | Telnet Timing Mark Option                                                               | 31 | 860  |

|           |                                                                                                                                                       |    |     |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----|
| TOPT-STAT | Telnet Status Option                                                                                                                                  | 30 | 859 |
| TOPT-SUPP | Telnet Suppress Go Ahead Option                                                                                                                       | 29 | 858 |
| TOPT-ECHO | Telnet Echo Option                                                                                                                                    | 28 | 857 |
| TOPT-BIN  | Telnet Binary Transmission                                                                                                                            | 27 | 856 |
| TELNET    | Telnet Option Specifications                                                                                                                          | 8  | 855 |
| TELNET    | Telnet Protocol Specification                                                                                                                         | 8  | 854 |
| ARP       | Ethernet Address Resolution Protocol: Or converting<br>network protocol addresses to 48.bit Ethernet<br>address for transmission on Ethernet hardware | 37 | 826 |
| MAIL      | Standard for the format of ARPA Internet text<br>messages                                                                                             | 11 | 822 |
| SMTP      | Simple Mail Transfer Protocol                                                                                                                         | 10 | 821 |
| TCP       | Transmission Control Protocol                                                                                                                         | 7  | 793 |
| ICMP      | Internet Control Message Protocol                                                                                                                     | 5  | 792 |
| IP        | Internet Protocol                                                                                                                                     | 5  | 791 |
| UDP       | User Datagram Protocol                                                                                                                                | 6  | 768 |

[Note: an asterisk at the end of a line indicates a change from the previous edition of this document.]

## 3.3. Draft Standard Protocols

| Mnemonic   | Title                                                                                                                             | RFC#  |
|------------|-----------------------------------------------------------------------------------------------------------------------------------|-------|
| CONT-DUR   | Content Duration MIME Header Definition                                                                                           | 3803* |
| MIME-ADPCM | Toll Quality Voice - 32 kbit/s Adaptive Differential<br>Pulse Code Modulation (ADPCM) MIME Sub-type<br>Registration               | 3802* |
| MIME-VP2   | Voice Profile for Internet Mail - version 2 (VPIMv2)                                                                              | 3801* |
| EMF-MDN    | Message Disposition Notification                                                                                                  | 3798* |
| VRRP       | Virtual Router Redundancy Protocol (VRRP)                                                                                         | 3768* |
| -----      | DNS Extensions to Support IP Version 6                                                                                            | 3596  |
| -----      | Textual Conventions for MIB Modules Using<br>Performance History Based on 15 Minute Intervals                                     | 3593  |
| -----      | Definitions of Managed Objects for the Synchronous<br>Optical Network/Synchronous Digital Hierarchy<br>(SONET/SDH) Interface Type | 3592  |
| DSN        | An Extensible Message Format for Delivery<br>Status Notifications                                                                 | 3464  |
| EMS-CODE   | Enhanced Mail System Status Codes                                                                                                 | 3463  |
| MIME-RPT   | The Multipart/Report Content Type for the<br>Reporting of Mail System Administrative Messages                                     | 3462  |
| SMTP-DSN   | Simple Mail Transfer Protocol (SMTP) Service<br>Extension for Delivery Status Notifications (DSNs)                                | 3461  |
| -----      | Capabilities Advertisement with BGP-4                                                                                             | 3392  |
| -----      | Content Language Headers                                                                                                          | 3282  |
| -----      | (Extensible Markup Language) XML-Signature<br>Syntax and Processing                                                               | 3275  |
| MINFAX-IM  | Minimal FAX address format in Internet Mail                                                                                       | 3192  |
| MIN-PSTN   | Minimal GSTN address format in Internet Mail                                                                                      | 3191  |
| RMON-MIB   | Remote Network Monitoring MIB Protocol Identifier<br>Reference                                                                    | 2895  |
| RADIUS     | Remote Authentication Dial In User Service (RADIUS)                                                                               | 2865  |
| INTERGRMIB | The Interfaces Group MIB                                                                                                          | 2863  |
| -----      | Host Resources MIB                                                                                                                | 2790  |
| SNMP       | Definitions of Managed Objects for Extensible<br>SNMP Agents                                                                      | 2742  |
| -----      | Agent Extensibility (AgentX) Protocol Version 1                                                                                   | 2741  |
| -----      | HTTP Authentication: Basic and Digest Access<br>Authentication                                                                    | 2617  |
| HTTP       | Hypertext Transfer Protocol -- HTTP/1.1                                                                                           | 2616  |
| ICMPv6     | Internet Control Message Protocol (ICMPv6)<br>for the Internet Protocol Version 6 (IPv6)<br>Specification                         | 2463  |
| IPv6-AUTO  | IPv6 Stateless Address Autoconfiguration                                                                                          | 2462  |
| IPv6-ND    | Neighbor Discovery for IP Version 6 (IPv6)                                                                                        | 2461  |
| IPv6       | Internet Protocol, Version 6 (IPv6) Specification                                                                                 | 2460  |
| URI-GEN    | Uniform Resource Identifiers (URI): Generic Syntax                                                                                | 2396  |

|            |                                                                                                                  |       |
|------------|------------------------------------------------------------------------------------------------------------------|-------|
| IARP       | Inverse Address Resolution Protocol                                                                              | 2390  |
| TN3270E    | TN3270 Enhancements                                                                                              | 2355  |
| TFTP-Opt   | TFTP Timeout Interval and Transfer Size Options                                                                  | 2349  |
| TFTP-Blk   | TFTP Blocksize Option                                                                                            | 2348  |
| TFTP-Ext   | TFTP Option Extension                                                                                            | 2347  |
| DHCP-BOOTP | DHCP Options and BOOTP Vendor Extensions                                                                         | 2132  |
| DHCP       | Dynamic Host Configuration Protocol                                                                              | 2131  |
| FRAME-MIB  | Management Information Base for Frame Relay<br>DTEs Using SMIPv2                                                 | 2115  |
| IP-HIPPI   | IP over HIPPI                                                                                                    | 2067  |
| MIME-CONF  | Multipurpose Internet Mail Extensions (MIME)<br>Part Five: Conformance Criteria and Examples                     | 2049  |
| MIME-MSG   | MIME (Multipurpose Internet Mail Extensions)<br>Part Three: Message Header Extensions for<br>Non-ASCII Text      | 2047  |
| MIME-MEDIA | Multipurpose Internet Mail Extensions (MIME)<br>Part Two: Media Types                                            | 2046  |
| MIME       | Multipurpose Internet Mail Extensions (MIME)<br>Part One: Format of Internet Message Bodies                      | 2045  |
| PPP-CHAP   | PPP Challenge Handshake Authentication Protocol (CHAP)                                                           | 1994  |
| PPP-MP     | The PPP Multilink Protocol (MP)                                                                                  | 1990  |
| PPP-LINK   | PPP Link Quality Monitoring                                                                                      | 1989  |
| MTU-IPV6   | Path MTU Discovery for IP version 6                                                                              | 1981* |
| CON-MD5    | The Content-MD5 Header Field                                                                                     | 1864  |
| OSPF-MIB   | OSPF Version 2 Management Information Base                                                                       | 1850  |
| XDR        | XDR: External Data Representation Standard                                                                       | 1832  |
| BGP-4-APP  | Application of the Border Gateway Protocol<br>in the Internet                                                    | 1772  |
| BGP-4      | A Border Gateway Protocol 4 (BGP-4)                                                                              | 1771  |
| PPP-DNCP   | The PPP DECnet Phase IV Control Protocol (DNCP)                                                                  | 1762  |
| 802.5-MIB  | IEEE 802.5 MIB using SMIPv2                                                                                      | 1748  |
| RIP2-MIB   | RIP Version 2 MIB Extension                                                                                      | 1724  |
| SIP-MIB    | Definitions of Managed Objects for SMDS Interfaces<br>using SMIPv2                                               | 1694  |
| -----      | Definitions of Managed Objects for Parallel-<br>printer-like Hardware Devices using SMIPv2                       | 1660  |
| -----      | Definitions of Managed Objects for RS-232-<br>like Hardware Devices using SMIPv2                                 | 1659  |
| -----      | Definitions of Managed Objects for Character<br>Stream Devices using SMIPv2                                      | 1658  |
| BGP-4-MIB  | Definitions of Managed Objects for the Fourth<br>Version of the Border Gateway Protocol (BGP-<br>4) using SMIPv2 | 1657  |
| -----      | SMTP Service Extension for 8bit-MIMEtransport                                                                    | 1652  |
| OSI-NSAP   | Guidelines for OSI NSAP Allocation in the Internet                                                               | 1629  |
| ISO-TS-ECH | An Echo Function for CLNP (ISO 8473)                                                                             | 1575  |
| DECNET-MIB | DECnet Phase IV MIB Extensions                                                                                   | 1559  |

|            |                                                                           |      |
|------------|---------------------------------------------------------------------------|------|
| -----      | Clarifications and Extensions for the Bootstrap Protocol                  | 1542 |
| DHCP-BOOTP | Interoperation Between DHCP and BOOTP                                     | 1534 |
| BRIDGE-MIB | Definitions of Managed Objects for Bridges                                | 1493 |
| IP-X.25    | Multiprotocol Interconnect on X.25 and ISDN in the Packet Mode            | 1356 |
| NTPV3      | Network Time Protocol (Version 3) Specification, Implementation           | 1305 |
| FINGER     | The Finger User Information Protocol                                      | 1288 |
| IP-MTU     | Path MTU discovery                                                        | 1191 |
| -----      | Proposed Standard for the Transmission of IP Datagrams over FDDI Networks | 1188 |
| TOPT-LINE  | Telnet Linemode Option                                                    | 1184 |
| NICNAME    | NICNAME/WHOIS                                                             | 954  |
| BOOTP      | Bootstrap Protocol                                                        | 951  |

[Note: an asterisk at the end of a line indicates a change from the previous edition of this document.]

## 3.4. Proposed Standard Protocols

| Mnemonic  | Title                                                                                                                                                 | RFC#  |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| -----     | Language Tags and Ranges in the Lightweight Directory Access Protocol (LDAP)                                                                          | 3866* |
| SIP       | S/MIME Advanced Encryption Standard (AES) Requirement for the Session Initiation Protocol (SIP)                                                       | 3853* |
| -----     | Cryptographic Message Syntax (CMS)                                                                                                                    | 3852* |
| -----     | Secure/Multipurpose Internet Mail Extensions (S/MIME) Version 3.1 Message Specification                                                               | 3851* |
| -----     | Secure/Multipurpose Internet Mail Extensions (S/MIME) Version 3.1 Certificate Handling                                                                | 3850* |
| -----     | ESMTP and LMTP Transmission Types Registration                                                                                                        | 3848* |
| -----     | Mobile IPv4 Extension for Carrying Network Access Identifiers                                                                                         | 3846* |
| -----     | RObust Header Compression (ROHC): A Compression Profile for IP                                                                                        | 3843* |
| -----     | MIME Type Registrations for 3rd Generation Partnership Project (3GPP) Multimedia files                                                                | 3839* |
| -----     | Transmission of IPv6 Packets over Fibre Channel                                                                                                       | 3831* |
| -----     | The Lightweight User Datagram Protocol (UDP-Lite)                                                                                                     | 3828* |
| -----     | The Advanced Encryption Standard (AES) Cipher Algorithm in the SNMP User-based Security Model                                                         | 3826* |
| -----     | Dynamic Host Configuration Protocol Option for Coordinate-based Location Configuration Information                                                    | 3825* |
| -----     | Finding Fibre Channel over TCP/IP (FCIP) Entities Using Service Location Protocol version 2 (SLPv2)                                                   | 3822* |
| -----     | Fibre Channel Over TCP/IP (FCIP)                                                                                                                      | 3821* |
| -----     | Internet X.509 Public Key Infrastructure (PKI) Proxy Certificate Profile                                                                              | 3820* |
| -----     | Definitions of Managed Objects for RObust Header Compression (ROHC)                                                                                   | 3816* |
| -----     | Definitions of Managed Objects for the Multiprotocol Label Switching (MPLS), Label Distribution Protocol (LDP)                                        | 3815* |
| -----     | Multiprotocol Label Switching (MPLS) Forwarding Equivalence Class To Next Hop Label Forwarding Entry (FEC-To-NHLFE) Management Information Base (MIB) | 3814* |
| -----     | Multiprotocol Label Switching (MPLS) Traffic Engineering (TE) Management Information Base (MIB)                                                       | 3812* |
| -----     | Definitions of Textual Conventions (TCs) for Multiprotocol Label Switching (MPLS) Management                                                          | 3811* |
| -----     | Multicast Listener Discovery Version 2 (MLDv2) for IPv6                                                                                               | 3810* |
| -----     | V5.2-User Adaptation Layer (V5UA)                                                                                                                     | 3807* |
| Print-MIB | Printer MIB v2                                                                                                                                        | 3805* |
| -----     | Voice Profile for Internet Mail (VPIM) Addressing                                                                                                     | 3804* |

|         |                                                                                                                                          |       |
|---------|------------------------------------------------------------------------------------------------------------------------------------------|-------|
| -----   | Security Considerations for Signaling Transport (SIGTRAN) Protocols                                                                      | 3788* |
| -----   | The NewReno Modification to TCP's Fast Recovery Algorithm                                                                                | 3782* |
| -----   | X.509 Extensions for IP Addresses and AS Identifiers                                                                                     | 3779* |
| -----   | Using IPsec to Protect Mobile IPv6 Signaling Between Mobile Nodes and Home Agents                                                        | 3776* |
| -----   | Mobility Support in IPv6                                                                                                                 | 3775* |
| -----   | Point-to-Point Protocol (PPP) Vendor Protocol                                                                                            | 3772* |
| -----   | The Lightweight Directory Access Protocol (LDAP) Intermediate Response Message                                                           | 3771* |
| -----   | Certificate Extensions and Attributes Supporting Authentication in Point-to-Point Protocol (PPP) and Wireless Local Area Networks (WLAN) | 3770* |
| -----   | Securely Available Credentials Protocol                                                                                                  | 3767* |
| -----   | enumservice registration for Session Initiation Protocol (SIP) Addresses-of-Record                                                       | 3764* |
| -----   | Telephone Number Mapping (ENUM) Service Registration for H.323                                                                           | 3762* |
| -----   | The E.164 to Uniform Resource Identifiers (URI) Dynamic Delegation Discovery System (DDDS) Application (ENUM)                            | 3761* |
| -----   | Stream Control Transmission Protocol (SCTP) Partial Reliability Extension                                                                | 3758* |
| -----   | Domain Name System KEY (DNSKEY) Resource Record (RR) Secure Entry Point (SEP) Flag                                                       | 3757* |
| -----   | Legacy Resolver Compatibility for Delegation Signer (DS)                                                                                 | 3755* |
| -----   | Transport Layer Security Protocol Compression Methods                                                                                    | 3749* |
| PPP-EAP | Extensible Authentication Protocol (EAP)                                                                                                 | 3748* |
| -----   | The Differentiated Services Configuration MIB                                                                                            | 3747* |
| -----   | MIME Type Registrations for JPEG 2000 (ISO/IEC 15444)                                                                                    | 3745* |
| -----   | Web Distributed Authoring and Versioning (WebDAV) Access Control Protocol                                                                | 3744* |
| -----   | Internet X.509 Public Key Infrastructure: Qualified Certificates Profile                                                                 | 3739* |
| -----   | IANA Guidelines for the Registry of Remote Monitoring (RMON) MIB modules                                                                 | 3737* |
| -----   | Stateless Dynamic Host Configuration Protocol (DHCP) Service for IPv6                                                                    | 3736* |
| -----   | Extensible Provisioning Protocol (EPP) Transport Over TCP                                                                                | 3734* |
| -----   | Extensible Provisioning Protocol (EPP) Contact Mapping                                                                                   | 3733* |
| -----   | Extensible Provisioning Protocol (EPP) Host Mapping                                                                                      | 3732* |
| -----   | Extensible Provisioning Protocol (EPP) Domain Name Mapping                                                                               | 3731* |
| -----   | Extensible Provisioning Protocol (EPP)                                                                                                   | 3730* |
| -----   | Application Performance Measurement MIB                                                                                                  | 3729* |

|       |                                                                                                          |       |
|-------|----------------------------------------------------------------------------------------------------------|-------|
| ----- | Definitions of Managed Objects for Very High Speed Digital Subscriber Lines (VDSL)                       | 3728* |
| ----- | Securing Block Storage Protocols over IP                                                                 | 3723* |
| ----- | String Profile for Internet Small Computer Systems Interface (iSCSI) Names                               | 3722* |
| ----- | Internet Small Computer Systems Interface (iSCSI)                                                        | 3720* |
| ----- | The Secure Real-time Transport Protocol (SRTP)                                                           | 3711* |
| ----- | Internet X.509 Public Key Infrastructure: Logotypes in X.509 Certificates                                | 3709* |
| ----- | High Capacity Textual Conventions for MIB Modules Using Performance History Based on 15 Minute Intervals | 3705* |
| ----- | Policy Core Lightweight Directory Access Protocol (LDAP) Schema                                          | 3703* |
| ----- | Lightweight Directory Access Protocol (LDAP): Additional Matching Rules                                  | 3698* |
| ----- | IPv6 Flow Label Specification                                                                            | 3697* |
| ----- | Internet Message Access Protocol (IMAP) UNSELECT command                                                 | 3691* |
| ----- | Lightweight Directory Access Protocol (LDAP) and X.500 Component Matching Rules                          | 3687* |
| ----- | Using Advanced Encryption Standard (AES) Counter Mode With IPsec Encapsulating Security Payload (ESP)    | 3686* |
| ----- | SIEVE Email Filtering: Spamtest and VirusTest Extensions                                                 | 3685* |
| ----- | A Session Initiation Protocol (SIP) Event Package for Registrations                                      | 3680* |
| ----- | The Text/Plain Format and DelSp Parameters                                                               | 3676* |
| ----- | Feature Discovery in Lightweight Directory Access Protocol (LDAP)                                        | 3674* |
| ----- | Lightweight Directory Access Protocol version 3 (LDAPv3): All Operational Attributes                     | 3673* |
| ----- | Subentries in the Lightweight Directory Access Protocol (LDAP)                                           | 3672* |
| ----- | Collective Attributes in the Lightweight Directory Access Protocol (LDAP)                                | 3671* |
| ----- | Information Model for Describing Network Device QoS Datapath Mechanisms                                  | 3670* |
| ----- | The AES-XCBC-PRF-128 Algorithm for the Internet Key Exchange Protocol (IKE)                              | 3664* |
| ----- | Delegation Signer (DS) Resource Record (RR)                                                              | 3658* |
| ----- | Use of the Camellia Encryption Algorithm in Cryptographic Message Syntax (CMS)                           | 3657* |
| ----- | Redefinition of DNS Authenticated Data (AD) bit                                                          | 3655* |
| ----- | Web Distributed Authoring and Versioning (WebDAV) Ordered Collections Protocol                           | 3648* |
| ----- | DNS Configuration options for Dynamic Host Configuration Protocol for IPv6 (DHCPv6)                      | 3646* |

|         |                                                                                                                                                        |       |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| -----   | Generic Security Service Algorithm for Secret Key Transaction Authentication for DNS (GSS-TSIG)                                                        | 3645* |
| -----   | Policy Quality of Service (QoS) Information Model                                                                                                      | 3644* |
| -----   | Fibre Channel (FC) Frame Encapsulation                                                                                                                 | 3643* |
| -----   | Common Elements of Generic String Encoding Rules (GSER) Encodings                                                                                      | 3642* |
| -----   | Generic String Encoding Rules (GSER) for ASN.1 Types                                                                                                   | 3641* |
| -----   | RTP Payload Format for Transport of MPEG-4 Elementary Streams                                                                                          | 3640* |
| -----   | Definitions of Managed Objects for the Ethernet WAN Interface Sublayer                                                                                 | 3637  |
| MAU-MIB | Definitions of Managed Objects for IEEE 802.3 Medium Attachment Units (MAUs)                                                                           | 3636  |
| -----   | Definitions of Managed Objects for the Ethernet-like Interface Types                                                                                   | 3635  |
| -----   | Key Distribution Center (KDC) Server Address Sub-option for the Dynamic Host Configuration Protocol (DHCP) CableLabs Client Configuration (CCC) Option | 3634* |
| -----   | IPv6 Prefix Options for Dynamic Host Configuration Protocol (DHCP) version 6                                                                           | 3633* |
| -----   | Traffic Engineering (TE) Extensions to OSPF Version 2                                                                                                  | 3630  |
| -----   | Graceful OSPF Restart                                                                                                                                  | 3623* |
| -----   | Power Ethernet MIB                                                                                                                                     | 3621* |
| -----   | The TUNNEL Profile                                                                                                                                     | 3620* |
| -----   | RTP Control Protocol Extended Reports (RTCP XR)                                                                                                        | 3611* |
| -----   | Session Initiation Protocol (SIP) Extension Header Field for Service Route Discovery During Registration                                               | 3608* |
| -----   | Definitions of Supplemental Managed Objects for ATM Interface                                                                                          | 3606* |
| -----   | Real Time Control Protocol (RTCP) attribute in Session Description Protocol (SDP)                                                                      | 3605* |
| -----   | The AES-CBC Cipher Algorithm and Its Use with IPsec                                                                                                    | 3602  |
| -----   | Text String Notation for Dial Sequences and Global Switched Telephone Network (GSTN) / E.164 Addresses                                                 | 3601  |
| -----   | Sieve Email Filtering -- Subaddress Extension                                                                                                          | 3598  |
| -----   | Handling of Unknown DNS Resource Record (RR) Types                                                                                                     | 3597  |
| -----   | Textual Conventions for IPv6 Flow Label                                                                                                                | 3595  |
| -----   | PacketCable Security Ticket Control Sub-Option for the DHCP CableLabs Client Configuration (CCC) Option                                                | 3594  |
| -----   | Definitions of Managed Objects for the Optical Interface Type                                                                                          | 3591  |
| -----   | Source Address Selection for the Multicast Listener Discovery (MLD) Protocol                                                                           | 3590  |
| -----   | Diameter Base Protocol                                                                                                                                 | 3588  |
| -----   | IP Security Policy (IPSP) Requirements                                                                                                                 | 3586  |
| -----   | IPsec Configuration Policy Information Model                                                                                                           | 3585  |

|           |                                                                                                                                                        |      |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| -----     | An Extension to the Session Initiation Protocol (SIP) for Symmetric Response Routing                                                                   | 3581 |
| -----     | Mapping of Integrated Services Digital Network (ISDN) User Part (ISUP) Overlap Signalling to the Session Initiation Protocol (SIP)                     | 3578 |
| -----     | IANA Considerations for RADIUS (Remote Authentication Dial In User Service)                                                                            | 3575 |
| -----     | Signalling of Modem-On-Hold status in Layer 2 Tunneling Protocol (L2TP)                                                                                | 3573 |
| -----     | The AES-XCBC-MAC-96 Algorithm and Its Use With IPsec                                                                                                   | 3566 |
| -----     | Use of the Advanced Encryption Standard (AES) Encryption Algorithm in Cryptographic Message Syntax (CMS)                                               | 3565 |
| -----     | Use of the RSAES-OAEP Key Transport Algorithm in Cryptographic Message Syntax (CMS)                                                                    | 3560 |
| -----     | Multicast Address Allocation MIB                                                                                                                       | 3559 |
| -----     | RTP Payload Format for Enhanced Variable Rate Codecs (EVRC) and Selectable Mode Vocoders (SMV)                                                         | 3558 |
| -----     | RTP Payload Format for European Telecommunications Standards Institute (ETSI) European Standard ES 201 108 Distributed Speech Recognition Encoding     | 3557 |
| -----     | Session Description Protocol (SDP) Bandwidth Modifiers for RTP Control Protocol (RTCP) Bandwidth                                                       | 3556 |
| -----     | MIME Type Registration of RTP Payload Formats                                                                                                          | 3555 |
| -----     | On the Use of Stream Control Transmission Protocol (SCTP) with IPsec                                                                                   | 3554 |
| -----     | The Group Domain of Interpretation                                                                                                                     | 3547 |
| -----     | Transport Layer Security (TLS) Extensions                                                                                                              | 3546 |
| -----     | Enhanced Compressed RTP (CRTP) for Links with High Delay, Packet Loss and Reordering                                                                   | 3545 |
| IPCOM-PPP | IP Header Compression over PPP                                                                                                                         | 3544 |
| -----     | Registration Revocation in Mobile IPv4                                                                                                                 | 3543 |
| -----     | Authentication, Authorization and Accounting (AAA) Transport Profile                                                                                   | 3539 |
| -----     | Wrapping a Hashed Message Authentication Code (HMAC) key with a Triple-Data Encryption Standard (DES) Key or an Advanced Encryption Standard (AES) Key | 3537 |
| -----     | The application/ogg Media Type                                                                                                                         | 3534 |
| NFSv4     | Network File System (NFS) version 4 Protocol                                                                                                           | 3530 |
| -----     | Link Selection sub-option for the Relay Agent Information Option for DHCPv4                                                                            | 3527 |
| -----     | More Modular Exponential (MODP) Diffie-Hellman groups for Internet Key Exchange (IKE)                                                                  | 3526 |
| MEGACO    | Gateway Control Protocol Version 1                                                                                                                     | 3525 |
| -----     | Mapping of Media Streams to Resource Reservation Flows                                                                                                 | 3524 |
| -----     | Session Authorization Policy Element                                                                                                                   | 3520 |
| PPP-BCP   | Point-to-Point Protocol (PPP) Bridging Control Protocol (BCP)                                                                                          | 3518 |

|         |                                                                                                                                            |      |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------|------|
| -----   | A Conservative Selective Acknowledgment (SACK)-based<br>Loss Recovery Algorithm for TCP                                                    | 3517 |
| -----   | IMAP4 Binary Content Extension                                                                                                             | 3516 |
| -----   | The Session Initiation Protocol (SIP) Refer Method                                                                                         | 3515 |
| -----   | Internet Protocol Version 6 (IPv6) Addressing<br>Architecture                                                                              | 3513 |
| IPP-E-T | Internet Printing Protocol/1.1: IPP URL Scheme                                                                                             | 3510 |
| -----   | Message Disposition Notification (MDN) profile for<br>Internet Message Access Protocol (IMAP)                                              | 3503 |
| -----   | Internet Message Access Protocol (IMAP) - MULTIAPPEND<br>Extension                                                                         | 3502 |
| IMAPv4  | INTERNET MESSAGE ACCESS PROTOCOL - VERSION 4rev1                                                                                           | 3501 |
| -----   | Definitions of Managed Objects for Synchronous Optical<br>Network (SONET) Linear Automatic Protection<br>Switching (APS) Architectures     | 3498 |
| -----   | RTP Payload Format for Society of Motion Picture and<br>Television Engineers (SMPTE) 292M Video                                            | 3497 |
| -----   | Dynamic Host Configuration Protocol (DHCP) Option for<br>CableLabs Client Configuration                                                    | 3495 |
| -----   | Punycode: A Bootstring encoding of Unicode for<br>Internationalized Domain Names in Applications<br>(IDNA)                                 | 3492 |
| -----   | Nameprep: A Stringprep Profile for Internationalized<br>Domain Names (IDN)                                                                 | 3491 |
| -----   | Internationalizing Domain Names in Applications (IDNA)                                                                                     | 3490 |
| -----   | STUN - Simple Traversal of User Datagram Protocol<br>(UDP) Through Network Address Translators (NATs)                                      | 3489 |
| -----   | Compressing the Session Initiation Protocol (SIP)                                                                                          | 3486 |
| -----   | The Session Initiation Protocol (SIP) and Session<br>Description Protocol (SDP) Static Dictionary for<br>Signaling Compression (SigComp)   | 3485 |
| -----   | Default Address Selection for Internet Protocol<br>version 6 (IPv6)                                                                        | 3484 |
| -----   | Signalling Unnumbered Links in CR-LDP<br>(Constraint-Routing Label Distribution Protocol)                                                  | 3480 |
| -----   | Fault Tolerance for the Label Distribution Protocol<br>(LDP)                                                                               | 3479 |
| -----   | Graceful Restart Mechanism for Label Distribution<br>Protocol                                                                              | 3478 |
| -----   | Signalling Unnumbered Links in Resource ReSerVation<br>Protocol - Traffic Engineering (RSVP-TE)                                            | 3477 |
| -----   | Generalized Multi-Protocol Label Switching (GMPLS)<br>Signaling Resource ReserVation Protocol-Traffic<br>Engineering (RSVP-TE) Extensions  | 3473 |
| -----   | Generalized Multi-Protocol Label Switching (GMPLS)<br>Signaling Constraint-based Routed Label Distribution<br>Protocol (CR-LDP) Extensions | 3472 |

|       |                                                                                                                                           |      |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------|------|
| ----- | Generalized Multi-Protocol Label Switching (GMPLS)<br>Signaling Functional Description                                                    | 3471 |
| CIM   | Policy Core Information Model (PCIM) Extensions                                                                                           | 3460 |
| ----- | Critical Content Multi-purpose Internet Mail<br>Extensions (MIME) Parameter                                                               | 3459 |
| ----- | Message Context for Internet Mail                                                                                                         | 3458 |
| ----- | Dynamic Host Configuration Protocol (DHCPv4)<br>Configuration of IPsec Tunnel Mode                                                        | 3456 |
| ----- | Preparation of Internationalized Strings<br>("stringprep")                                                                                | 3454 |
| ----- | TCP Friendly Rate Control (TFRC): Protocol<br>Specification                                                                               | 3448 |
| ----- | Limiting the Scope of the KEY Resource Record (RR)                                                                                        | 3445 |
| ----- | Time To Live (TTL) Processing in Multi-Protocol Label<br>Switching (MPLS) Networks                                                        | 3443 |
| ----- | The Classless Static Route Option for Dynamic Host<br>Configuration Protocol (DHCP) version 4                                             | 3442 |
| ----- | Definitions of Extension Managed Objects for<br>Asymmetric Digital Subscriber Lines                                                       | 3440 |
| ----- | Layer-Two Tunneling Protocol Extensions for PPP Link<br>Control Protocol Negotiation                                                      | 3437 |
| ----- | Transport Layer Security over Stream Control<br>Transmission Protocol                                                                     | 3436 |
| ----- | Remote Monitoring MIB Extensions for High Capacity<br>Alarms                                                                              | 3434 |
| ----- | Entity Sensor Management Information Base                                                                                                 | 3433 |
| ----- | Network performance measurement with periodic streams                                                                                     | 3432 |
| ----- | Sieve Extension: Relational Tests                                                                                                         | 3431 |
| ----- | Session Initiation Protocol (SIP) Extension for<br>Instant Messaging                                                                      | 3428 |
| ----- | Obsoleting IQUERY                                                                                                                         | 3425 |
| ----- | Internet Media Type message/sipfrag                                                                                                       | 3420 |
| ----- | Textual Conventions for Transport Addresses                                                                                               | 3419 |
| ----- | Zero-byte Support for Bidirectional Reliable Mode<br>(R-mode) in Extended Link-Layer Assisted RObust<br>Header Compression (ROHC) Profile | 3408 |
| ----- | Session Description Protocol (SDP) Simple Capability<br>Declaration                                                                       | 3407 |
| NAPTR | Dynamic Delegation Discovery System (DDDS) Part Four:<br>The Uniform Resource Identifiers (URI)                                           | 3404 |
| NAPTR | Dynamic Delegation Discovery System (DDDS) Part Three:<br>The Domain Name System (DNS) Database                                           | 3403 |
| NAPTR | Dynamic Delegation Discovery System (DDDS) Part Two:<br>The Algorithm                                                                     | 3402 |
| ----- | Integrated Services Digital Network (ISDN) User Part<br>(ISUP) to Session Initiation Protocol (SIP) Mapping                               | 3398 |
| ----- | Dynamic Host Configuration Protocol (DHCP) Domain<br>Search Option                                                                        | 3397 |

|            |                                                                                                            |      |
|------------|------------------------------------------------------------------------------------------------------------|------|
| -----      | Encoding Long Options in the Dynamic Host Configuration Protocol (DHCPv4)                                  | 3396 |
| RMON-MIB   | Remote Network Monitoring MIB Protocol Identifier Reference Extensions                                     | 3395 |
| -----      | IP Packet Delay Variation Metric for IP Performance Metrics (IPPM)                                         | 3393 |
| -----      | Increasing TCP's Initial Window                                                                            | 3390 |
| -----      | Real-time Transport Protocol (RTP) Payload for Comfort Noise (CN)                                          | 3389 |
| -----      | Grouping of Media Lines in the Session Description Protocol (SDP)                                          | 3388 |
| IPP-E-T    | Internet Printing Protocol (IPP): The 'collection' attribute syntax                                        | 3382 |
| IPP-E-T    | Internet Printing Protocol (IPP): Job Progress Attributes                                                  | 3381 |
| IPP-E-T    | Internet Printing Protocol (IPP): Job and Printer Set Operations                                           | 3380 |
| -----      | Delegated Path Validation and Delegated Path Discovery Protocol Requirements                               | 3379 |
| -----      | Lightweight Directory Access Protocol (v3): Technical Specification                                        | 3377 |
| IGMP       | Internet Group Management Protocol, Version 3                                                              | 3376 |
| -----      | Layer Two Tunneling Protocol "L2TP" Management Information Base                                            | 3371 |
| -----      | Cryptographic Message Syntax (CMS) Algorithms                                                              | 3370 |
| -----      | The 'go' URI Scheme for the Common Name Resolution Protocol                                                | 3368 |
| -----      | Common Name Resolution Protocol (CNRP)                                                                     | 3367 |
| -----      | Real-time Facsimile (T.38) - image/t38 MIME Sub-type Registration                                          | 3362 |
| -----      | Dynamic Host Configuration Protocol (DHCP-for-IPv4) Option for Session Initiation Protocol (SIP) Servers   | 3361 |
| -----      | Layer Two Tunneling Protocol (L2TP) Over ATM Adaptation Layer 5 (AAL5)                                     | 3355 |
| -----      | Small Computer Systems Interface protocol over the Internet (iSCSI) Requirements and Design Considerations | 3347 |
| MOBILEIPSU | IP Mobility Support for IPv4                                                                               | 3344 |
| -----      | The Application Exchange (APEX) Option Party Pack, Part Deux!                                              | 3342 |
| -----      | The Application Exchange (APEX) Access Service                                                             | 3341 |
| -----      | The Application Exchange Core                                                                              | 3340 |
| -----      | Date and Time on the Internet: Timestamps                                                                  | 3339 |
| -----      | Class Extensions for PPP over Asynchronous Transfer Mode Adaptation Layer 2                                | 3337 |
| -----      | PPP Over Asynchronous Transfer Mode Adaptation Layer 2 (AAL2)                                              | 3336 |

|       |                                                                                                                                                        |      |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| ----- | MIME-based Secure Peer-to-Peer Business Data Interchange over the Internet                                                                             | 3335 |
| ----- | Signaling System 7 (SS7) Message Transfer Part 3 (MTP3) - User Adaptation Layer (M3UA)                                                                 | 3332 |
| ----- | Signaling System 7 (SS7) Message Transfer Part 2 (MTP2) - User Adaptation Layer                                                                        | 3331 |
| ----- | Security Mechanism Agreement for the Session Initiation Protocol (SIP)                                                                                 | 3329 |
| ----- | Session Initiation Protocol (SIP) Extension Header Field for Registering Non-Adjacent Contacts                                                         | 3327 |
| ----- | The Reason Header Field for the Session Initiation Protocol (SIP)                                                                                      | 3326 |
| ----- | A Privacy Mechanism for the Session Initiation Protocol (SIP)                                                                                          | 3323 |
| ----- | Signaling Compression (SigComp)                                                                                                                        | 3320 |
| ----- | Dynamic Host Configuration Protocol (DHCPv6) Options for Session Initiation Protocol (SIP) Servers                                                     | 3319 |
| ----- | Dynamic Host Configuration Protocol for IPv6 (DHCPv6)                                                                                                  | 3315 |
| ----- | Integration of Resource Management and Session Initiation Protocol (SIP)                                                                               | 3312 |
| ----- | The Session Initiation Protocol (SIP) UPDATE Method                                                                                                    | 3311 |
| ----- | Stream Control Transmission Protocol (SCTP) Checksum Change                                                                                            | 3309 |
| ----- | Layer Two Tunneling Protocol (L2TP) Differentiated Services Extension                                                                                  | 3308 |
| ----- | Allocation Guidelines for IPv6 Multicast Addresses                                                                                                     | 3307 |
| ----- | Unicast-Prefix-based IPv6 Multicast Addresses                                                                                                          | 3306 |
| TIFF  | Tag Image File Format (TIFF) - image/tiff MIME Sub-type Registration                                                                                   | 3302 |
| ----- | Layer Two Tunnelling Protocol (L2TP): ATM access network extensions                                                                                    | 3301 |
| ----- | Content Negotiation for Messaging Services based on Email                                                                                              | 3297 |
| ----- | Named Subordinate References in Lightweight Directory Access Protocol (LDAP) Directories                                                               | 3296 |
| ----- | Definitions of Managed Objects for the General Switch Management Protocol (GSMP)                                                                       | 3295 |
| ----- | General Switch Management Protocol (GSMP) Packet Encapsulations for Asynchronous Transfer Mode (ATM), Ethernet and Transmission Control Protocol (TCP) | 3293 |
| ----- | General Switch Management Protocol (GSMP) V3                                                                                                           | 3292 |
| ----- | Textual Conventions for Internet Network Addresses                                                                                                     | 3291 |
| ----- | Management Information Base for the Differentiated Services Architecture                                                                               | 3289 |
| ----- | Using the Simple Object Access Protocol (SOAP) in Blocks Extensible Exchange Protocol (BEEP)                                                           | 3288 |
| ----- | Remote Monitoring MIB Extensions for Differentiated Services                                                                                           | 3287 |

|       |                                                                                                                                                                                  |      |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| ----- | The VCDIFF Generic Differencing and Compression Data Format                                                                                                                      | 3284 |
| ----- | An Internet Attribute Certificate Profile for Authorization                                                                                                                      | 3281 |
| ----- | Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile                                                                               | 3280 |
| ----- | Algorithms and Identifiers for the Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile                                            | 3279 |
| ----- | Definitions of Managed Objects for High Bit-Rate DSL - 2nd generation (HDSL2) and Single-Pair High-Speed Digital Subscriber Line (SHDSL) Lines Processing                        | 3276 |
| ----- | Compressed Data Content Type for Cryptographic Message Syntax (CMS)                                                                                                              | 3274 |
| ----- | Remote Network Monitoring Management Information Base for High Capacity Networks                                                                                                 | 3273 |
| ----- | Multi-Protocol Label Switching (MPLS) Support of Differentiated Services                                                                                                         | 3270 |
| ----- | Advanced Encryption Standard (AES) Ciphersuites for Transport Layer Security (TLS)                                                                                               | 3268 |
| ----- | Real-Time Transport Protocol (RTP) Payload Format and File Storage Format for the Adaptive Multi-Rate (AMR) and Adaptive Multi-Rate Wideband (AMR-WB) Audio Codecs               | 3267 |
| ----- | Support for IPv6 in Session Description Protocol (SDP)                                                                                                                           | 3266 |
| SIP   | Session Initiation Protocol (SIP)-Specific Event Notification                                                                                                                    | 3265 |
| SIP   | An Offer/Answer Model with Session Description Protocol (SDP)                                                                                                                    | 3264 |
| SIP   | Session Initiation Protocol (SIP): Locating SIP Servers                                                                                                                          | 3263 |
| SIP   | Reliability of Provisional Responses in Session Initiation Protocol (SIP)                                                                                                        | 3262 |
| SIP   | SIP: Session Initiation Protocol                                                                                                                                                 | 3261 |
| ----- | The DOCSIS (Data-Over-Cable Service Interface Specifications) Device Class DHCP (Dynamic Host Configuration Protocol) Relay Agent Information Sub-option                         | 3256 |
| ----- | Extending Point-to-Point Protocol (PPP) over Synchronous Optical Network/Synchronous Digital Hierarchy (SONET/SDH) with virtual concatenation, high order and low order payloads | 3255 |
| ----- | Versioning Extensions to WebDAV (Web Distributed Authoring and Versioning)                                                                                                       | 3253 |
| FFIF  | Tag Image File Format Fax eXtended (TIFF-FX) - image/tiff-fx MIME Sub-type Registration                                                                                          | 3250 |
| ----- | An Expedited Forwarding PHB (Per-Hop Behavior)                                                                                                                                   | 3246 |

|          |                                                                                 |      |
|----------|---------------------------------------------------------------------------------|------|
| -----    | RObust Header Compression (ROHC): A Link-Layer Assisted Profile for IP/UDP/RTP  | 3242 |
| -----    | Robust Header Compression (ROHC) over PPP                                       | 3241 |
| -----    | Definitions of Managed Objects for Scheduling Management Operations             | 3231 |
| -----    | Instance Digests in HTTP                                                        | 3230 |
| -----    | Delta encoding in HTTP                                                          | 3229 |
| -----    | DNSSEC and IPv6 A6 aware server/resolver message size requirements              | 3226 |
| -----    | Indicating Resolver Support of DNSSEC                                           | 3225 |
| SLP      | Vendor Extensions for Service Location Protocol, Version 2                      | 3224 |
| -----    | Telephony Routing over IP (TRIP)                                                | 3219 |
| -----    | LSP Modification Using CR-LDP                                                   | 3214 |
| -----    | Constraint-Based LSP Setup using LDP                                            | 3212 |
| -----    | RSVP-TE: Extensions to RSVP for LSP Tunnels                                     | 3209 |
| -----    | SMTP Service Extension for Secure SMTP over Transport Layer Security            | 3207 |
| -----    | The SYS and AUTH POP Response Codes                                             | 3206 |
| -----    | MIME media types for ISUP and QSIG Objects                                      | 3204 |
| -----    | Definitions of Managed Objects for Frame Relay Service Level Definitions        | 3202 |
| -----    | Definitions of Managed Objects for Circuit to Interface Translation             | 3201 |
| -----    | Reliable Delivery for syslog                                                    | 3195 |
| -----    | Securing L2TP using IPsec                                                       | 3193 |
| -----    | RTP Payload Format for 12-bit DAT Audio and 20- and 24-bit Linear Sampled Audio | 3190 |
| -----    | RTP Payload Format for DV (IEC 61834) Video                                     | 3189 |
| -----    | Reuse of CMS Content Encryption Keys                                            | 3185 |
| -----    | Identity Representation for RSVP                                                | 3182 |
| -----    | Signaled Preemption Priority Policy Element                                     | 3181 |
| -----    | Aggregation of RSVP for IPv4 and IPv6 Reservations                              | 3175 |
| IPCOMP   | IP Payload Compression Protocol (IPComp)                                        | 3173 |
| -----    | The Addition of Explicit Congestion Notification (ECN) to IP                    | 3168 |
| -----    | Definitions of Managed Objects for the Delegation of Management Scripts         | 3165 |
| -----    | RADIUS and IPv6                                                                 | 3162 |
| TSA      | Internet X.509 Public Key Infrastructure Time-Stamp Protocol (TSP)              | 3161 |
| PIB      | Structure of Policy Provisioning Information (SPPI)                             | 3159 |
| MIME-PGP | MIME Security with OpenPGP                                                      | 3156 |
| -----    | PPP Multiplexing                                                                | 3153 |
| -----    | Transmission of IPv6 Packets over IEEE 1394 Networks                            | 3146 |
| -----    | L2TP Disconnect Cause Information                                               | 3145 |
| -----    | Remote Monitoring MIB Extensions for Interface Parameters Monitoring            | 3144 |

|           |                                                                                                 |      |
|-----------|-------------------------------------------------------------------------------------------------|------|
| -----     | Per Hop Behavior Identification Codes                                                           | 3140 |
| -----     | The Congestion Manager                                                                          | 3124 |
| -----     | Extensions to IPv6 Neighbor Discovery for Inverse<br>Discovery Specification                    | 3122 |
| -----     | A More Loss-Tolerant RTP Payload Format for MP3 Audio                                           | 3119 |
| -----     | Authentication for DHCP Messages                                                                | 3118 |
| -----     | Mobile IP Vendor/Organization-Specific Extensions                                               | 3115 |
| -----     | Service Location Protocol Modifications for IPv6                                                | 3111 |
| -----     | RSA/SHA-1 SIGs and RSA KEYS in the Domain Name System<br>(DNS)                                  | 3110 |
| -----     | Conventions for the use of the Session Description<br>Protocol (SDP) for ATM Bearer Connections | 3108 |
| SDP       | Carrying Label Information in BGP-4                                                             | 3107 |
| OSPF-NSSA | The OSPF Not-So-Stubby Area (NSSA) Option                                                       | 3101 |
| RSVP      | RSVP Cryptographic Authentication -- Updated Message<br>Type Value                              | 3097 |
| -----     | RObust Header Compression (ROHC): Framework and four<br>profiles                                | 3095 |
| -----     | DNS Security Extension Clarification on Zone Status                                             | 3090 |
| COPS-PR   | COPS Usage for Policy Provisioning (COPS-PR)                                                    | 3084 |
| -----     | Mapping the BEEP Core onto TCP                                                                  | 3081 |
| BEEP      | The Blocks Extensible Exchange Protocol Core                                                    | 3080 |
| -----     | A Link-Layer Tunneling Mechanism for Unidirectional<br>Links                                    | 3077 |
| -----     | DHC Load Balancing Algorithm                                                                    | 3074 |
| L2TP-FR   | Layer Two Tunneling Protocol (L2TP) over Frame Relay                                            | 3070 |
| -----     | An Anycast Prefix for 6to4 Relay Routers                                                        | 3068 |
| BGP-ASC   | Autonomous System Confederations for BGP                                                        | 3065 |
| -----     | LDAP Password Modify Extended Operation                                                         | 3062 |
| CIM       | Policy Core Information Model -- Version 1<br>Specification                                     | 3060 |
| SLPv2     | Attribute List Extension for the Service Location<br>Protocol                                   | 3059 |
| -----     | ISDN Q.921-User Adaptation Layer                                                                | 3057 |
| -----     | Connection of IPv6 Domains via IPv4 Clouds                                                      | 3056 |
| -----     | Management Information Base for the PINT Services<br>Architecture                               | 3055 |
| -----     | TN3270E Service Location and Session Balancing                                                  | 3049 |
| -----     | RTP Payload Format for ITU-T Recommendation G.722.1                                             | 3047 |
| -----     | DHCP Relay Agent Information Option                                                             | 3046 |
| -----     | Enhancing TCP's Loss Recovery Using Limited Transmit                                            | 3042 |
| -----     | Privacy Extensions for Stateless Address<br>Autoconfiguration in IPv6                           | 3041 |
| -----     | VCID Notification over ATM link for LDP                                                         | 3038 |
| -----     | LDP Specification                                                                               | 3036 |
| -----     | MPLS using LDP and ATM VC Switching                                                             | 3035 |
| -----     | Use of Label Switching on Frame Relay Networks<br>Specification                                 | 3034 |

|        |                                                                                                                                                              |      |
|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| -----  | The Assignment of the Information Field and Protocol Identifier in the Q.2941 Generic Identifier and Q.2957 User-to-user Signaling for the Internet Protocol | 3033 |
| -----  | MPLS Label Stack Encoding                                                                                                                                    | 3032 |
| MPLS   | Multiprotocol Label Switching Architecture                                                                                                                   | 3031 |
| -----  | SMTP Service Extensions for Transmission of Large and Binary MIME Messages                                                                                   | 3030 |
| -----  | Sieve: A Mail Filtering Language                                                                                                                             | 3028 |
| -----  | Reverse Tunneling for Mobile IP, revised                                                                                                                     | 3024 |
| -----  | XML Media Types                                                                                                                                              | 3023 |
| -----  | Using 31-Bit Prefixes on IPv4 Point-to-Point Links                                                                                                           | 3021 |
| -----  | Definitions of Managed Objects for Monitoring and Controlling the UNI/NNI Multilink Frame Relay Function                                                     | 3020 |
| -----  | IP Version 6 Management Information Base for The Multicast Listener Discovery Protocol                                                                       | 3019 |
| -----  | XML DTD for Roaming Access Phone Book                                                                                                                        | 3017 |
| -----  | RTP Payload Format for MPEG-4 Audio/Visual Streams                                                                                                           | 3016 |
| -----  | Notification Log MIB                                                                                                                                         | 3014 |
| -----  | Mobile IPv4 Challenge/Response Extensions                                                                                                                    | 3012 |
| -----  | The IPv4 Subnet Selection Option for DHCP                                                                                                                    | 3011 |
| -----  | Registration of parityfec MIME types                                                                                                                         | 3009 |
| DNSSEC | Domain Name System Security (DNSSEC) Signing Authority                                                                                                       | 3008 |
| -----  | Secure Domain Name System (DNS) Dynamic Update                                                                                                               | 3007 |
| -----  | Integrated Services in the Presence of Compressible Flows                                                                                                    | 3006 |
| -----  | The User Class Option for DHCP                                                                                                                               | 3004 |
| -----  | The audio/mpeg Media Type                                                                                                                                    | 3003 |
| -----  | Specification of the Null Service Type                                                                                                                       | 2997 |
| -----  | Format of the RSVP DCLASS Object                                                                                                                             | 2996 |
| -----  | Computing TCP's Retransmission Timer                                                                                                                         | 2988 |
| -----  | Registration of Charset and Languages Media Features Tags                                                                                                    | 2987 |
| -----  | Use of the CAST-128 Encryption Algorithm in CMS                                                                                                              | 2984 |
| -----  | Distributed Management Expression MIB                                                                                                                        | 2982 |
| -----  | Event MIB                                                                                                                                                    | 2981 |
| -----  | The SIP INFO Method                                                                                                                                          | 2976 |
| -----  | IMAP4 ID extension                                                                                                                                           | 2971 |
| -----  | HTTP State Management Mechanism                                                                                                                              | 2965 |
| -----  | RSVP Refresh Overhead Reduction Extensions                                                                                                                   | 2961 |
| -----  | Stream Control Transmission Protocol                                                                                                                         | 2960 |
| -----  | Real-Time Transport Protocol Management Information Base                                                                                                     | 2959 |
| -----  | Definitions of Managed Objects for Monitoring and Controlling the Frame Relay/ATM PVC Service Interworking Function                                          | 2955 |
| FR-MIB | Definitions of Managed Objects for Frame Relay Service                                                                                                       | 2954 |

|            |                                                                                          |      |
|------------|------------------------------------------------------------------------------------------|------|
| -----      | Telnet Encryption: CAST-128 64 bit Cipher Feedback                                       | 2950 |
| -----      | Telnet Encryption: CAST-128 64 bit Output Feedback                                       | 2949 |
| -----      | Telnet Encryption: DES3 64 bit Output Feedback                                           | 2948 |
| -----      | Telnet Encryption: DES3 64 bit Cipher Feedback                                           | 2947 |
| -----      | Telnet Data Encryption Option                                                            | 2946 |
| -----      | The SRP Authentication and Key Exchange System                                           | 2945 |
| -----      | Telnet Authentication: SRP                                                               | 2944 |
| -----      | TELNET Authentication Using DSA                                                          | 2943 |
| -----      | Telnet Authentication: Kerberos Version 5                                                | 2942 |
| TOPT-AUTH  | Telnet Authentication Option                                                             | 2941 |
| -----      | Definitions of Managed Objects for Common Open Policy<br>Service (COPS) Protocol Clients | 2940 |
| -----      | Identifying Composite Media Features                                                     | 2938 |
| -----      | The Name Service Search Option for DHCP                                                  | 2937 |
| IOTP-HTTP  | Internet Open Trading Protocol (IOTP) HTTP Supplement                                    | 2935 |
| -----      | Internet Group Management Protocol MIB                                                   | 2933 |
| -----      | IPv4 Multicast Routing MIB                                                               | 2932 |
| -----      | DNS Request and Transaction Signatures ( SIG(0)s )                                       | 2931 |
| TKEY-RR    | Secret Key Establishment for DNS (TKEY RR)                                               | 2930 |
| -----      | Definitions of Managed Objects for Remote Ping,<br>Traceroute, and Lookup Operations     | 2925 |
| -----      | List-Id: A Structured Field and Namespace for the<br>Identification of Mailing Lists     | 2919 |
| -----      | Route Refresh Capability for BGP-4                                                       | 2918 |
| -----      | MIME Content Types in Media Feature Expressions                                          | 2913 |
| -----      | Indicating Media Features for MIME Content                                               | 2912 |
| IPP-M-S    | Internet Printing Protocol/1.1: Model and Semantics                                      | 2911 |
| IPP-E-T    | Internet Printing Protocol/1.1: Encoding and Transport                                   | 2910 |
| -----      | MADCAP Multicast Scope Nesting State Option                                              | 2907 |
| -----      | Router Renumbering for IPv6                                                              | 2894 |
| TRANS-IPv6 | Transition Mechanisms for IPv6 Hosts and Routers                                         | 2893 |
| -----      | LDAP Control Extension for Server Side Sorting of<br>Search Results                      | 2891 |
| -----      | Key and Sequence Number Extensions to GRE                                                | 2890 |
| SACK       | An Extension to the Selective Acknowledgement (SACK)<br>Option for TCP                   | 2883 |
| -----      | Content Feature Schema for Internet Fax (V2)                                             | 2879 |
| -----      | Diffie-Hellman Proof-of-Possession Algorithms                                            | 2875 |
| -----      | TCP Processing of the IPv4 Precedence Field                                              | 2873 |
| -----      | Application and Sub Application Identity Policy<br>Element for Use with RSVP             | 2872 |
| -----      | The Inverted Stack Table Extension to the Interfaces<br>Group MIB                        | 2864 |
| -----      | RTP Payload Format for Real-Time Pointers                                                | 2862 |
| MEXT-BGP4  | Multiprotocol Extensions for BGP-4                                                       | 2858 |
| -----      | The Use of HMAC-RIPEMD-160-96 within ESP and AH                                          | 2857 |
| -----      | Textual Conventions for Additional High Capacity Data<br>Types                           | 2856 |

|         |                                                                                                          |      |
|---------|----------------------------------------------------------------------------------------------------------|------|
| -----   | DHCP for IEEE 1394                                                                                       | 2855 |
| -----   | Generic Security Service API Version 2 : Java Bindings                                                   | 2853 |
| -----   | Deliver By SMTP Service Extension                                                                        | 2852 |
| LDIF    | The LDAP Data Interchange Format (LDIF) - Technical Specification                                        | 2849 |
| -----   | The PINT Service Protocol: Extensions to SIP and SDP for IP Access to Telephone Call Services            | 2848 |
| LIPKEY  | LIPKEY - A Low Infrastructure Public Key Mechanism Using SPKM                                            | 2847 |
| -----   | GSTN Address Element Extensions in E-mail Services                                                       | 2846 |
| TSIG    | Secret Key Transaction Authentication for DNS (TSIG)                                                     | 2845 |
| -----   | Definitions of Managed Objects for the Fabric Element in Fibre Channel Standard                          | 2837 |
| GSN     | IP and ARP over HIPPI-6400 (GSN)                                                                         | 2835 |
| -----   | ARP and IP Broadcast over HIPPI-800                                                                      | 2834 |
| -----   | RTP Payload for DTMF Digits, Telephony Tones and Telephony Signals                                       | 2833 |
| -----   | Using Digest Authentication as a SASL Mechanism                                                          | 2831 |
| LDAP    | Lightweight Directory Access Protocol (v3): Extension for Transport Layer Security                       | 2830 |
| -----   | Authentication Methods for LDAP                                                                          | 2829 |
| MAIL    | Internet Message Format                                                                                  | 2822 |
| SMTP    | Simple Mail Transfer Protocol                                                                            | 2821 |
| -----   | Integrated Service Mappings on IEEE 802 Networks                                                         | 2815 |
| -----   | SBM (Subnet Bandwidth Manager): A Protocol for RSVP-based Admission Control over IEEE 802-style networks | 2814 |
| -----   | URLs for Telephone Calls                                                                                 | 2806 |
| -----   | Certificate Management Messages over CMS                                                                 | 2797 |
| -----   | BGP Route Reflection - An Alternative to Full Mesh IBGP                                                  | 2796 |
| -----   | Mobile IP Network Access Identifier Extension for IPv4                                                   | 2794 |
| -----   | RTP Payload for Text Conversation                                                                        | 2793 |
| -----   | Mail Monitoring MIB                                                                                      | 2789 |
| -----   | Network Services Monitoring MIB                                                                          | 2788 |
| -----   | Definitions of Managed Objects for the Virtual Router Redundancy Protocol                                | 2787 |
| GRE     | Generic Routing Encapsulation (GRE)                                                                      | 2784 |
| DNS-SRV | A DNS RR for specifying the location of services (DNS SRV)                                               | 2782 |
| MZAP    | Multicast-Scope Zone Announcement Protocol (MZAP)                                                        | 2776 |
| RPSL    | Routing Policy System Replication                                                                        | 2769 |
| NAT-PT  | Network Address Translation - Protocol Translation (NAT-PT)                                              | 2766 |
| SIIT    | Stateless IP/ICMP Translation Algorithm (SIIT)                                                           | 2765 |
| -----   | RSVP Extensions for Policy Control                                                                       | 2750 |
| -----   | COPS usage for RSVP                                                                                      | 2749 |
| COPS    | The COPS (Common Open Policy Service) Protocol                                                           | 2748 |

|          |                                                                                                                       |      |
|----------|-----------------------------------------------------------------------------------------------------------------------|------|
| -----    | RSVP Cryptographic Authentication                                                                                     | 2747 |
| -----    | RSVP Operation Over IP Tunnels                                                                                        | 2746 |
| -----    | RSVP Diagnostic Messages                                                                                              | 2745 |
| -----    | Generic Security Service API Version 2 : C-bindings                                                                   | 2744 |
| -----    | Generic Security Service Application Program Interface<br>Version 2, Update 1                                         | 2743 |
| -----    | OSPF for IPv6                                                                                                         | 2740 |
| -----    | Calendar Attributes for vCard and LDAP                                                                                | 2739 |
| -----    | Corrections to "A Syntax for Describing Media Feature<br>Sets"                                                        | 2738 |
| -----    | Entity MIB (Version 2)                                                                                                | 2737 |
| -----    | NHRP Support for Virtual Private Networks                                                                             | 2735 |
| -----    | IPv4 over IEEE 1394                                                                                                   | 2734 |
| -----    | An RTP Payload Format for Generic Forward Error<br>Correction                                                         | 2733 |
| -----    | Format for Literal IPv6 Addresses in URL's                                                                            | 2732 |
| MADCAP   | Multicast Address Dynamic Client Allocation Protocol<br>(MADCAP)                                                      | 2730 |
| -----    | The Transmission of IP Over the Vertical Blanking<br>Interval of a Television Signal                                  | 2728 |
| -----    | PGP Authentication for RIPE Database Updates                                                                          | 2726 |
| -----    | Routing Policy System Security                                                                                        | 2725 |
| -----    | Traffic Flow Measurement: Meter MIB                                                                                   | 2720 |
| TLS      | Addition of Kerberos Cipher Suites to Transport Layer<br>Security (TLS)                                               | 2712 |
| -----    | IPv6 Router Alert Option                                                                                              | 2711 |
| MLD-IPv6 | Multicast Listener Discovery (MLD) for IPv6                                                                           | 2710 |
| -----    | Integrated Services Mappings for Low Speed Networks                                                                   | 2688 |
| -----    | PPP in a Real-time Oriented HDLC-like Framing                                                                         | 2687 |
| -----    | The Multi-Class Extension to Multi-Link PPP                                                                           | 2686 |
| VPNI     | Virtual Private Networks Identifier                                                                                   | 2685 |
| -----    | Multiprotocol Encapsulation over ATM Adaptation Layer<br>5                                                            | 2684 |
| -----    | A Round-trip Delay Metric for IPPM                                                                                    | 2681 |
| -----    | A One-way Packet Loss Metric for IPPM                                                                                 | 2680 |
| -----    | A One-way Delay Metric for IPPM                                                                                       | 2679 |
| IPPM-MET | IPPM Metrics for Measuring Connectivity                                                                               | 2678 |
| NHRP-MIB | Definitions of Managed Objects for the NBMA Next Hop<br>Resolution Protocol (NHRP)                                    | 2677 |
| -----    | IPv6 Jumbograms                                                                                                       | 2675 |
| -----    | Definitions of Managed Objects for Bridges with<br>Traffic Classes, Multicast Filtering and Virtual LAN<br>Extensions | 2674 |
| -----    | Non-Terminal DNS Name Redirection                                                                                     | 2672 |
| EDNS0    | Extension Mechanisms for DNS (EDNS0)                                                                                  | 2671 |
| -----    | Radio Frequency (RF) Interface Management Information<br>Base for MCNS/DOCSIS compliant RF interfaces                 | 2670 |

|           |                                                                                                                                              |      |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------|------|
| -----     | DOCSIS Cable Device MIB Cable Device Management<br>Information Base for DOCSIS compliant Cable Modems<br>and Cable Modem Termination Systems | 2669 |
| -----     | IP Tunnel MIB                                                                                                                                | 2667 |
| -----     | Definitions of Managed Objects for the ADSL Lines                                                                                            | 2662 |
| L2TP      | Layer Two Tunneling Protocol "L2TP"                                                                                                          | 2661 |
| -----     | RTP Payload Format for PureVoice(tm) Audio                                                                                                   | 2658 |
| -----     | CIP Transport Protocols                                                                                                                      | 2653 |
| -----     | MIME Object Definitions for the Common Indexing<br>Protocol (CIP)                                                                            | 2652 |
| CIP       | The Architecture of the Common Indexing Protocol (CIP)                                                                                       | 2651 |
| ODMR-SMTP | ON-DEMAND MAIL RELAY (ODMR) SMTP with Dynamic IP<br>Addresses                                                                                | 2645 |
| -----     | Internationalization of the File Transfer Protocol                                                                                           | 2640 |
| -----     | Enhanced Security Services for S/MIME                                                                                                        | 2634 |
| -----     | Diffie-Hellman Key Agreement Method                                                                                                          | 2631 |
| -----     | IP and ARP over Fibre Channel                                                                                                                | 2625 |
| -----     | NFS Version 2 and Version 3 Security Issues and the<br>NFS Protocol's Use of RPCSEC_GSS and Kerberos V5                                      | 2623 |
| RPSL      | Routing Policy Specification Language (RPSL)                                                                                                 | 2622 |
| -----     | RADIUS Authentication Server MIB                                                                                                             | 2619 |
| -----     | RADIUS Authentication Client MIB                                                                                                             | 2618 |
| -----     | PPP over SONET/SDH                                                                                                                           | 2615 |
| -----     | Remote Network Monitoring MIB Extensions for Switched<br>Networks Version 1.0                                                                | 2613 |
| -----     | DHCP Options for Service Location Protocol                                                                                                   | 2610 |
| -----     | Service Templates and Service: Schemes                                                                                                       | 2609 |
| -----     | Directory Server Monitoring MIB                                                                                                              | 2605 |
| -----     | ILMI-Based Server Discovery for NHRP                                                                                                         | 2603 |
| -----     | ILMI-Based Server Discovery for MARS                                                                                                         | 2602 |
| -----     | ILMI-Based Server Discovery for ATMARP                                                                                                       | 2601 |
| -----     | Assured Forwarding PHB Group                                                                                                                 | 2597 |
| -----     | Using TLS with IMAP, POP3 and ACAP                                                                                                           | 2595 |
| -----     | Definitions of Managed Objects for WWW Services                                                                                              | 2594 |
| -----     | Transmission of IPv6 Packets over Frame Relay Networks<br>Specification                                                                      | 2590 |
| LDAPv3    | Lightweight Directory Access Protocol (v3): Extensions<br>for Dynamic Directory Services                                                     | 2589 |
| -----     | Internet X.509 Public Key Infrastructure LDAPv2 Schema                                                                                       | 2587 |
| -----     | Internet X.509 Public Key Infrastructure Operational<br>Protocols: FTP and HTTP                                                              | 2585 |
| -----     | Definitions of Managed Objects for APPN/HPR in IP<br>Networks                                                                                | 2584 |
| TCP-CC    | TCP Congestion Control                                                                                                                       | 2581 |
| APP-MIB   | Application Management MIB                                                                                                                   | 2564 |
| -----     | DHCP Option to Disable Stateless Auto-Configuration in<br>IPv4 Clients                                                                       | 2563 |

|            |                                                                                                                             |      |
|------------|-----------------------------------------------------------------------------------------------------------------------------|------|
| TN2370E-RT | Definitions of Protocol and Managed Objects for<br>TN3270E Response Time Collection Using SMiv2<br>(TN3270E-RT-MIB)         | 2562 |
| -----      | Base Definitions of Managed Objects for TN3270E Using<br>SMiv2                                                              | 2561 |
| PKIX       | X.509 Internet Public Key Infrastructure Online<br>Certificate Status Protocol - OCSP                                       | 2560 |
| MHTML      | MIME Encapsulation of Aggregate Documents, such as<br>HTML (MHTML)                                                          | 2557 |
| -----      | SMTP Service Extension for Authentication                                                                                   | 2554 |
| -----      | Use of BGP-4 Multiprotocol Extensions for IPv6<br>Inter-Domain Routing                                                      | 2545 |
| DHK-DNS    | Storage of Diffie-Hellman Keys in the Domain Name<br>System (DNS)                                                           | 2539 |
| SC-DNS     | Storing Certificates in the Domain Name System (DNS)                                                                        | 2538 |
| -----      | DSA KEYS and SIGs in the Domain Name System (DNS)                                                                           | 2536 |
| DNS-SECEXT | Domain Name System Security Extensions                                                                                      | 2535 |
| -----      | Media Features for Display, Print, and Fax                                                                                  | 2534 |
| -----      | A Syntax for Describing Media Feature Sets                                                                                  | 2533 |
| -----      | Extended Facsimile Using Internet Mail                                                                                      | 2532 |
| -----      | Indicating Supported Media Features Using Extensions<br>to DSN and MDN                                                      | 2530 |
| -----      | Transmission of IPv6 over IPv4 Domains without<br>Explicit Tunnels                                                          | 2529 |
| -----      | Reserved IPv6 Subnet Anycast Addresses                                                                                      | 2526 |
| WEBDAV     | HTTP Extensions for Distributed Authoring -- WEBDAV                                                                         | 2518 |
| ATM-MIBMAN | Definitions of Managed Objects for ATM Management                                                                           | 2515 |
| ATM-TC-OID | Definitions of Textual Conventions and<br>OBJECT-IDENTITIES for ATM Management                                              | 2514 |
| -----      | Managed Objects for Controlling the Collection and<br>Storage of Accounting Information for<br>Connection-Oriented Networks | 2513 |
| -----      | Accounting Information for ATM Networks                                                                                     | 2512 |
| X.509-CRMF | Internet X.509 Certificate Request Message Format                                                                           | 2511 |
| PKICMP     | Internet X.509 Public Key Infrastructure Certificate<br>Management Protocols                                                | 2510 |
| -----      | Compressing IP/UDP/RTP Headers for Low-Speed Serial<br>Links                                                                | 2508 |
| -----      | IP Header Compression                                                                                                       | 2507 |
| -----      | Transmission of IPv6 Packets over ARCnet Networks                                                                           | 2497 |
| DS3-E3-MIB | Definitions of Managed Object for the DS3/E3 Interface<br>Type                                                              | 2496 |
| -----      | Definitions of Managed Objects for the DS1, E1, DS2<br>and E2 Interface Types                                               | 2495 |
| -----      | Definitions of Managed Objects for the DS0 and DS0<br>Bundle Interface Type                                                 | 2494 |
| IPv6ATMNET | IPv6 over ATM Networks                                                                                                      | 2492 |

|            |                                                                                                                          |      |
|------------|--------------------------------------------------------------------------------------------------------------------------|------|
| IPv6-NBMA  | IPv6 over Non-Broadcast Multiple Access (NBMA) networks                                                                  | 2491 |
| NAI        | The Network Access Identifier                                                                                            | 2486 |
| -----      | DHCP Option for The Open Group's User Authentication Protocol                                                            | 2485 |
| -----      | PPP LCP Internationalization Configuration Option                                                                        | 2484 |
| -----      | Gateways and MIME Security Multiparts                                                                                    | 2480 |
| -----      | The Simple and Protected GSS-API Negotiation Mechanism                                                                   | 2478 |
| -----      | Message Submission                                                                                                       | 2476 |
| -----      | Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers                                  | 2474 |
| -----      | Generic Packet Tunneling in IPv6 Specification                                                                           | 2473 |
| IPv6-PPP   | IP Version 6 over PPP                                                                                                    | 2472 |
| -----      | Transmission of IPv6 Packets over Token Ring Networks                                                                    | 2470 |
| -----      | Transmission of IPv6 Packets over FDDI Networks                                                                          | 2467 |
| ICMPv6-MIB | Management Information Base for IP Version 6: ICMPv6 Group                                                               | 2466 |
| -----      | Management Information Base for IP Version 6: Textual Conventions and General Group                                      | 2465 |
| -----      | Transmission of IPv6 Packets over Ethernet Networks                                                                      | 2464 |
| EBN-MIB    | Definitions of Managed Objects for Extended Border Node                                                                  | 2457 |
| -----      | Definitions of Managed Objects for APPN TRAPS                                                                            | 2456 |
| APPN-MIB   | Definitions of Managed Objects for APPN                                                                                  | 2455 |
| -----      | IP Version 6 Management Information Base for the User Datagram Protocol                                                  | 2454 |
| -----      | IP Version 6 Management Information Base for the Transmission Control Protocol                                           | 2452 |
| -----      | The ESP CBC-Mode Cipher Algorithms                                                                                       | 2451 |
| POP3-EXT   | POP3 Extension Mechanism                                                                                                 | 2449 |
| IMIP       | iCalendar Message-Based Interoperability Protocol (iMIP)                                                                 | 2447 |
| ITIP       | iCalendar Transport-Independent Interoperability Protocol (iTIP) Scheduling Events, BusyTime, To-dos and Journal Entries | 2446 |
| ICALNDAR   | Internet Calendaring and Scheduling Core Object Specification (iCalendar)                                                | 2445 |
| OTP-SASL   | The One-Time-Password SASL Mechanism                                                                                     | 2444 |
| -----      | OpenPGP Message Format                                                                                                   | 2440 |
| -----      | BGP Route Flap Damping                                                                                                   | 2439 |
| -----      | RTP Payload Format for JPEG-compressed Video                                                                             | 2435 |
| -----      | RTP Payload Format for BT.656 Video Encoding                                                                             | 2431 |
| -----      | RTP Payload Format for the 1998 Version of ITU-T Rec. H.263 Video (H.263+)                                               | 2429 |
| -----      | FTP Extensions for IPv6 and NATs                                                                                         | 2428 |
| MIME-VCARD | vCard MIME Directory Profile                                                                                             | 2426 |
| TXT-DIR    | A MIME Content-Type for Directory Information                                                                            | 2425 |
| MIME-VPIM  | VPIM Voice Message MIME Sub-type Registration                                                                            | 2423 |

|            |                                                                                                                    |      |
|------------|--------------------------------------------------------------------------------------------------------------------|------|
| 3DESE      | The PPP Triple-DES Encryption Protocol (3DESE)                                                                     | 2420 |
| DESE-bis   | The PPP DES Encryption Protocol, Version 2 (DESE-bis)                                                              | 2419 |
| -----      | Definitions of Managed Objects for Multicast over UNI<br>3.0/3.1 based ATM Networks                                | 2417 |
| -----      | The NULL Encryption Algorithm and Its Use With IPsec                                                               | 2410 |
| IKE        | The Internet Key Exchange (IKE)                                                                                    | 2409 |
| ISAKMP     | Internet Security Association and Key Management<br>Protocol (ISAKMP)                                              | 2408 |
| ISAKMPSEC  | The Internet IP Security Domain of Interpretation for<br>ISAKMP                                                    | 2407 |
| ESP        | IP Encapsulating Security Payload (ESP)                                                                            | 2406 |
| ESPDES-CBC | The ESP DES-CBC Cipher Algorithm With Explicit IV                                                                  | 2405 |
| -----      | The Use of HMAC-SHA-1-96 within ESP and AH                                                                         | 2404 |
| -----      | The Use of HMAC-MD5-96 within ESP and AH                                                                           | 2403 |
| IP-AUTH    | IP Authentication Header                                                                                           | 2402 |
| IPSEC      | Security Architecture for the Internet Protocol                                                                    | 2401 |
| DATA-URL   | The "data" URL scheme                                                                                              | 2397 |
| CIDMID-URL | Content-ID and Message-ID Uniform Resource Locators                                                                | 2392 |
| -----      | Feature negotiation mechanism for the File Transfer<br>Protocol                                                    | 2389 |
| -----      | Returning Values from Forms: multipart/form-data                                                                   | 2388 |
| MIME-RELAT | The MIME Multipart/Related Content-type                                                                            | 2387 |
| -----      | Protection of BGP Sessions via the TCP MD5 Signature<br>Option                                                     | 2385 |
| POP-URL    | POP URL Scheme                                                                                                     | 2384 |
| -----      | Interoperation of Controlled-Load Service and<br>Guaranteed Service with ATM                                       | 2381 |
| -----      | RSVP over ATM Implementation Requirements                                                                          | 2380 |
| TIPV3      | Transaction Internet Protocol Version 3.0                                                                          | 2371 |
| OSPF-LSA   | The OSPF Opaque LSA Option                                                                                         | 2370 |
| -----      | The Use of URLs as Meta-Syntax for Core Mail List<br>Commands and their Transport through Message Header<br>Fields | 2369 |
| URLMAILTO  | The mailto URL scheme                                                                                              | 2368 |
| PPP-AAL    | PPP Over AAL5                                                                                                      | 2364 |
| PPP-FUNI   | PPP Over FUNI                                                                                                      | 2363 |
| IMAP4UIDPL | IMAP4 UIDPLUS extension                                                                                            | 2359 |
| IMAP4NAME  | IMAP4 Namespace                                                                                                    | 2342 |
| NHRP-SCSP  | A Distributed NHRP Service Using SCSP                                                                              | 2335 |
| SCSP       | Server Cache Synchronization Protocol (SCSP)                                                                       | 2334 |
| -----      | NHRP Protocol Applicability Statement                                                                              | 2333 |
| NHRP       | NBMA Next Hop Resolution Protocol (NHRP)                                                                           | 2332 |
| UNI-SIG    | ATM Signalling Support for IP over ATM - UNI<br>Signalling 4.0 Update                                              | 2331 |
| SDP        | SDP: Session Description Protocol                                                                                  | 2327 |
| RTSP       | Real Time Streaming Protocol (RTSP)                                                                                | 2326 |
| IPOA-MIB   | Definitions of Managed Objects for Classical IP and<br>ARP Over ATM Using SMiv2 (IPOA-MIB)                         | 2320 |

|            |                                                                                                |      |
|------------|------------------------------------------------------------------------------------------------|------|
| DNS-NCACHE | Negative Caching of DNS Queries (DNS NCACHE)                                                   | 2308 |
| SMFAX-IM   | A Simple Mode of Facsimile Using Internet Mail                                                 | 2305 |
| FFIF       | File Format for Internet Fax                                                                   | 2301 |
| OR-ADD     | Representing the O/R Address hierarchy in the X.500 Directory Information Tree                 | 2294 |
| SUBTABLE   | Representing Tables and Subtrees in the X.500 Directory                                        | 2293 |
| -----      | Mobile-IPv4 Configuration Option for PPP IPCP                                                  | 2290 |
| SLM-APP    | Definitions of System-Level Managed Objects for Applications                                   | 2287 |
| -----      | Definitions of Managed Objects for IEEE 802.12 Repeater Devices                                | 2266 |
| -----      | A Summary of the X.500(96) User Schema for use with LDAPv3                                     | 2256 |
| LDAP-URL   | The LDAP URL Format                                                                            | 2255 |
| STR-LDAP   | The String Representation of LDAP Search Filters                                               | 2254 |
| LDAP3-UTF8 | Lightweight Directory Access Protocol (v3): UTF-8 String Representation of Distinguished Names | 2253 |
| LDAP3-ATD  | Lightweight Directory Access Protocol (v3): Attribute Syntax Definitions                       | 2252 |
| LDAPV3     | Lightweight Directory Access Protocol (v3)                                                     | 2251 |
| RTP-MPEG   | RTP Payload Format for MPEG1/MPEG2 Video                                                       | 2250 |
| -----      | Using Domains in LDAP/X.500 Distinguished Names                                                | 2247 |
| -----      | The TLS Protocol Version 1.0                                                                   | 2246 |
| SASL-ANON  | Anonymous SASL Mechanism                                                                       | 2245 |
| ACAP       | ACAP -- Application Configuration Access Protocol                                              | 2244 |
| OTP-ER     | OTP Extended Responses                                                                         | 2243 |
| NETWAREIP  | NetWare/IP Domain Name and Information                                                         | 2242 |
| DHCP-NDS   | DHCP Options for Novell Directory Services                                                     | 2241 |
| HPR-MIB    | Definitions of Managed Objects for HPR using SMIV2                                             | 2238 |
| ABNF       | Augmented BNF for Syntax Specifications: ABNF                                                  | 2234 |
| DLUR-MIB   | Definitions of Managed Objects for DLUR using SMIV2                                            | 2232 |
| MIME-EXT   | MIME Parameter Value and Encoded Word Extensions: Character Sets, Languages, and Continuations | 2231 |
| FTPSECEXT  | FTP Security Extensions                                                                        | 2228 |
| -----      | Simple Hit-Metering and Usage-Limiting for HTTP                                                | 2227 |
| -----      | IP Broadcast over ATM Networks                                                                 | 2226 |
| IP-ATM     | Classical IP and ARP over ATM                                                                  | 2225 |
| SASL       | Simple Authentication and Security Layer (SASL)                                                | 2222 |
| IMAP4LOGIN | IMAP4 Login Referrals                                                                          | 2221 |
| -----      | A Common Schema for the Internet White Pages Service                                           | 2218 |
| -----      | General Characterization Parameters for Integrated Service Network Elements                    | 2215 |
| -----      | Integrated Services Management Information Base Guaranteed Service Extensions using SMIV2      | 2214 |
| -----      | Integrated Services Management Information Base using SMIV2                                    | 2213 |
| GQOS       | Specification of Guaranteed Quality of Service                                                 | 2212 |

|            |                                                                                                    |      |
|------------|----------------------------------------------------------------------------------------------------|------|
| -----      | Specification of the Controlled-Load Network Element Service                                       | 2211 |
| RSVP-IS    | The Use of RSVP with IETF Integrated Services                                                      | 2210 |
| RSVP-IPSEC | RSVP Extensions for IPSEC Data Flows                                                               | 2207 |
| RSVP-MIB   | RSVP Management Information Base using SMiv2                                                       | 2206 |
| RSVP       | Resource ReSeRVation Protocol (RSVP) -- Version 1 Functional Specification                         | 2205 |
| RPCSEC-GSS | RPCSEC_GSS Protocol Specification                                                                  | 2203 |
| RTP-RAD    | RTP Payload for Redundant Audio Data                                                               | 2198 |
| IMAPPOPAU  | IMAP/POP AUTHorize Extension for Simple Challenge/Response                                         | 2195 |
| IMAP4MAIL  | IMAP4 Mailbox Referrals                                                                            | 2193 |
| IMAP-URL   | IMAP URL Scheme                                                                                    | 2192 |
| -----      | RTP Payload Format for H.263 Video Streams                                                         | 2190 |
| -----      | Communicating Presentation Information in Internet Messages: The Content-Disposition Header Field  | 2183 |
| DNS-CLAR   | Clarifications to the DNS Specification                                                            | 2181 |
| IMAP4-IDLE | IMAP4 IDLE command                                                                                 | 2177 |
| SLP        | Service Location Protocol                                                                          | 2165 |
| -----      | Use of an X.500/LDAP directory to support MIXER address mapping                                    | 2164 |
| DNS-MCGAM  | Using the Internet DNS to Distribute MIXER Conformant Global Address Mapping (MCGAM)               | 2163 |
| -----      | Carrying PostScript in X.400 and MIME                                                              | 2160 |
| -----      | A MIME Body Part for FAX                                                                           | 2159 |
| -----      | X.400 Image Body Parts                                                                             | 2158 |
| -----      | Mapping between X.400 and RFC-822/MIME Message Bodies                                              | 2157 |
| MIXER      | MIXER (Mime Internet X.400 Enhanced Relay): Mapping between X.400 and RFC 822/MIME                 | 2156 |
| MAIL-SERV  | Mailbox Names for Common Services, Roles and Functions                                             | 2142 |
| URN-SYNTAX | URN Syntax                                                                                         | 2141 |
| DNS-UPDATE | Dynamic Updates in the Domain Name System (DNS UPDATE)                                             | 2136 |
| DC-MIB     | Dial Control Management Information Base using SMiv2                                               | 2128 |
| ISDN-MIB   | ISDN Management Information Base using SMiv2                                                       | 2127 |
| ITOT       | ISO Transport Service on top of TCP (ITOT)                                                         | 2126 |
| BAP-BACP   | The PPP Bandwidth Allocation Protocol (BAP) / The PPP Bandwidth Allocation Control Protocol (BACP) | 2125 |
| VEMMI-URL  | VEMMI URL Specification                                                                            | 2122 |
| ROUT-ALERT | IP Router Alert Option                                                                             | 2113 |
| 802.3-MIB  | Definitions of Managed Objects for IEEE 802.3 Repeater Devices using SMiv2                         | 2108 |
| PPP-NBFCP  | The PPP NetBIOS Frames Control Protocol (NBFCP)                                                    | 2097 |
| TABLE-MIB  | IP Forwarding Table MIB                                                                            | 2096 |
| RIP-TRIG   | Triggered Extensions to RIP to Support Demand Circuits                                             | 2091 |
| IMAP4-LIT  | IMAP4 non-synchronizing literals                                                                   | 2088 |
| IMAP4-QUO  | IMAP4 QUOTA extension                                                                              | 2087 |
| IMAP4-ACL  | IMAP4 ACL extension                                                                                | 2086 |
| HMAC-MD5   | HMAC-MD5 IP Authentication with Replay Prevention                                                  | 2085 |

|            |                                                                                                       |      |
|------------|-------------------------------------------------------------------------------------------------------|------|
| RIP2-MD5   | RIP-2 MD5 Authentication                                                                              | 2082 |
| RIPNG-IPV6 | RIPng for IPv6                                                                                        | 2080 |
| URI-ATT    | Definition of an X.500 Attribute Type and an Object Class to Hold Uniform Resource Identifiers (URIs) | 2079 |
| MIME-MODEL | The Model Primary Content Type for Multipurpose Internet Mail Extensions                              | 2077 |
| URLZ39.50  | Uniform Resource Locators for Z39.50                                                                  | 2056 |
| SNANAU-APP | Definitions of Managed Objects for APPC using SMIV2                                                   | 2051 |
| PPP-SNACP  | The PPP SNA Control Protocol (SNACP)                                                                  | 2043 |
| SMTP-ENH   | SMTP Service Extension for Returning Enhanced Error Codes                                             | 2034 |
| RTP-H.261  | RTP Payload Format for H.261 Video Streams                                                            | 2032 |
| RTP-CELLB  | RTP Payload Format of Sun's CellB Video Encoding                                                      | 2029 |
| SPKM       | The Simple Public-Key GSS-API Mechanism (SPKM)                                                        | 2025 |
| DLSW-MIB   | Definitions of Managed Objects for Data Link Switching using SMIV2                                    | 2024 |
| MULTI-UNI  | Support for Multicast over UNI 3.0/3.1 based ATM Networks                                             | 2022 |
| RMON-MIB   | Remote Network Monitoring Management Information Base Version 2 using SMIV2                           | 2021 |
| 802.12-MIB | IEEE 802.12 Interface MIB                                                                             | 2020 |
| TCP-ACK    | TCP Selective Acknowledgement Options                                                                 | 2018 |
| URL-ACC    | Definition of the URL MIME External-Body Access-Type                                                  | 2017 |
| MIME-PGP   | MIME Security with Pretty Good Privacy (PGP)                                                          | 2015 |
| MIB-UDP    | SNMPv2 Management Information Base for the User Datagram Protocol using SMIV2                         | 2013 |
| MIB-TCP    | SNMPv2 Management Information Base for the Transmission Control Protocol using SMIV2                  | 2012 |
| MIB-IP     | SNMPv2 Management Information Base for the Internet Protocol using SMIV2                              | 2011 |
| MOBILEIPMI | The Definitions of Managed Objects for IP Mobility Support using SMIV2                                | 2006 |
| -----      | Applicability Statement for IP Mobility Support                                                       | 2005 |
| MINI-IP    | Minimal Encapsulation within IP                                                                       | 2004 |
| IPENCAPIP  | IP Encapsulation within IP                                                                            | 2003 |
| BGP-COMM   | BGP Communities Attribute                                                                             | 1997 |
| DNS-NOTIFY | A Mechanism for Prompt Notification of Zone Changes (DNS NOTIFY)                                      | 1996 |
| DNS-IZT    | Incremental Zone Transfer in DNS                                                                      | 1995 |
| SMTP-ETRN  | SMTP Service Extension for Remote Message Queue Starting                                              | 1985 |
| SNA        | Serial Number Arithmetic                                                                              | 1982 |
| PPP-FRAME  | PPP in Frame Relay                                                                                    | 1973 |
| PPP-ECP    | The PPP Encryption Control Protocol (ECP)                                                             | 1968 |
| GSSAPI-KER | The Kerberos Version 5 GSS-API Mechanism                                                              | 1964 |
| PPP-CCP    | The PPP Compression Control Protocol (CCP)                                                            | 1962 |
| GSSAPI-SOC | GSS-API Authentication Method for SOCKS Version 5                                                     | 1961 |
| AUTH-SOCKS | Username/Password Authentication for SOCKS V5                                                         | 1929 |

|            |                                                                                                |      |
|------------|------------------------------------------------------------------------------------------------|------|
| SOCKSV5    | SOCKS Protocol Version 5                                                                       | 1928 |
| WHOIS++M   | How to Interact with a Whois++ Mesh                                                            | 1914 |
| WHOIS++A   | Architecture of the Whois++ Index Service                                                      | 1913 |
| MIME-Sec   | MIME Object Security Services                                                                  | 1848 |
| MIME-Encyp | Security Multiparts for MIME: Multipart/Signed and<br>Multipart/Encrypted                      | 1847 |
| WHOIS++    | Architecture of the WHOIS++ service                                                            | 1835 |
| -----      | Binding Protocols for ONC RPC Version 2                                                        | 1833 |
| RPC        | RPC: Remote Procedure Call Protocol Specification<br>Version 2                                 | 1831 |
| -----      | The ESP DES-CBC Transform                                                                      | 1829 |
| -----      | IP Authentication using Keyed MD5                                                              | 1828 |
| -----      | Requirements for IP Version 4 Routers                                                          | 1812 |
| URL        | Relative Uniform Resource Locators                                                             | 1808 |
| OSPF-DC    | Extending OSPF to Support Demand Circuits                                                      | 1793 |
| MIME-EDI   | MIME Encapsulation of EDI Objects                                                              | 1767 |
| XNSCP      | The PPP XNS IDP Control Protocol (XNSCP)                                                       | 1764 |
| BVCP       | The PPP Banyan Vines Control Protocol (BVCP)                                                   | 1763 |
| ATM        | ATM Signaling Support for IP over ATM                                                          | 1755 |
| IPNG       | The Recommendation for the IP Next Generation Protocol                                         | 1752 |
| 802.5-SSR  | IEEE 802.5 Station Source Routing MIB using SMiv2                                              | 1749 |
| SDLC SMiv2 | Definitions of Managed Objects for SNA Data Link<br>Control (SDLC) using SMiv2                 | 1747 |
| AT-MIB     | AppleTalk Management Information Base II                                                       | 1742 |
| MacMIME    | MIME Encapsulation of Macintosh Files - MacMIME                                                | 1740 |
| URL        | Uniform Resource Locators (URL)                                                                | 1738 |
| POP3-AUTH  | POP3 AUTHentication command                                                                    | 1734 |
| IMAP4-AUTH | IMAP4 Authentication Mechanisms                                                                | 1731 |
| RDBMS-MIB  | Relational Database Management System (RDBMS)<br>Management Information Base (MIB) using SMiv2 | 1697 |
| MODEM-MIB  | Modem Management Information Base (MIB) using SMiv2                                            | 1696 |
| TMUX       | Transport Multiplexing Protocol (TMux)                                                         | 1692 |
| SNANAU-MIB | Definitions of Managed Objects for SNA NAUs using<br>SMiv2                                     | 1666 |
| PPP-TRANS  | PPP Reliable Transmission                                                                      | 1663 |
| -----      | Postmaster Convention for X.400 Operations                                                     | 1648 |
| UPS-MIB    | UPS Management Information Base                                                                | 1628 |
| PPP-ISDN   | PPP over ISDN                                                                                  | 1618 |
| PPP-X25    | PPP in X.25                                                                                    | 1598 |
| OSPF-Multi | Multicast Extensions to OSPF                                                                   | 1584 |
| RIP-DC     | Extensions to RIP to Support Demand Circuits                                                   | 1582 |
| TOPT-ENVIR | Telnet Environment Option                                                                      | 1572 |
| PPP-LCP    | PPP LCP Extensions                                                                             | 1570 |
| CIPX       | Compressing IPX Headers Over WAN Media (CIPX)                                                  | 1553 |
| IPXCP      | The PPP Internetworking Packet Exchange Control<br>Protocol (IPXCP)                            | 1552 |
| SRB-MIB    | Definitions of Managed Objects for Source Routing<br>Bridges                                   | 1525 |

|            |                                                                                                              |      |
|------------|--------------------------------------------------------------------------------------------------------------|------|
| CIDR-STRA  | Classless Inter-Domain Routing (CIDR): an Address Assignment and Aggregation Strategy                        | 1519 |
| CIDR-ARCH  | An Architecture for IP Address Allocation with CIDR                                                          | 1518 |
| CIDR       | Applicability Statement for the Implementation of Classless Inter-Domain Routing (CIDR)                      | 1517 |
| -----      | Token Ring Extensions to the Remote Network Monitoring MIB                                                   | 1513 |
| FDDI-MIB   | FDDI Management Information Base                                                                             | 1512 |
| KERBEROS   | The Kerberos Network Authentication Service (V5)                                                             | 1510 |
| -----      | X.400 Use of Extended Character Sets                                                                         | 1502 |
| HARPOON    | Rules for downgrading messages from X.400/88 to X.400/84 when MIME content-types are present in the messages | 1496 |
| Equiv      | Equivalences between 1988 X.400 and RFC-822 Message Bodies                                                   | 1494 |
| IDPR       | Inter-Domain Policy Routing Protocol Specification: Version 1                                                | 1479 |
| IDPR-ARCH  | An Architecture for Inter-Domain Policy Routing                                                              | 1478 |
| PPP/Bridge | The Definitions of Managed Objects for the Bridge Network Control Protocol of the Point-to-Point Protocol    | 1474 |
| PPP/IPMIB  | The Definitions of Managed Objects for the IP Network Control Protocol of the Point-to-Point Protocol        | 1473 |
| PPP/SECMIB | The Definitions of Managed Objects for the Security Protocols of the Point-to-Point Protocol                 | 1472 |
| PPP/LCPMIB | The Definitions of Managed Objects for the Link Control Protocol of the Point-to-Point Protocol              | 1471 |
| IP-TR-MC   | IP Multicast over Token-Ring Local Area Networks                                                             | 1469 |
| X25-MIB    | SNMP MIB extension for Multiprotocol Interconnect over X.25                                                  | 1461 |
| PEM-KEY    | Privacy Enhancement for Internet Electronic Mail: Part IV                                                    | 1424 |
| PEM-ALG    | Privacy Enhancement for Internet Electronic Mail: Part III                                                   | 1423 |
| PEM-CKM    | Privacy Enhancement for Internet Electronic Mail: Part II                                                    | 1422 |
| PEM-ENC    | Privacy Enhancement for Internet Electronic Mail: Part I                                                     | 1421 |
| SNMP-IPX   | SNMP over IPX                                                                                                | 1420 |
| SNMP-AT    | SNMP over AppleTalk                                                                                          | 1419 |
| SNMP-OSI   | SNMP over OSI                                                                                                | 1418 |
| FTP        | FTP-FTAM Gateway Specification                                                                               | 1415 |
| IDENT-MIB  | Identification MIB                                                                                           | 1414 |
| IDENT      | Identification Protocol                                                                                      | 1413 |
| -----      | Default Route Advertisement In BGP2 and BGP3 Version of The Border Gateway Protocol                          | 1397 |
| SNMP-X.25  | SNMP MIB Extension for the X.25 Packet Layer                                                                 | 1382 |
| SNMP-LAPB  | SNMP MIB Extension for X.25 LAPB                                                                             | 1381 |

|            |                                                                                                |      |
|------------|------------------------------------------------------------------------------------------------|------|
| PPP-ATCP   | The PPP AppleTalk Control Protocol (ATCP)                                                      | 1378 |
| PPP-OSINLC | The PPP OSI Network Layer Control Protocol (OSINLCP)                                           | 1377 |
| TOPT-RFC   | Telnet Remote Flow Control Option                                                              | 1372 |
| -----      | Applicability Statement for OSPF                                                               | 1370 |
| PPP-IPCP   | The PPP Internet Protocol Control Protocol (IPCP)                                              | 1332 |
| -----      | X.400 1988 to 1984 downgrading                                                                 | 1328 |
| TCP-EXT    | TCP Extensions for High Performance                                                            | 1323 |
| NETFAX     | A File Format for the Exchange of Images in the Internet                                       | 1314 |
| FDDI-MIB   | FDDI Management Information Base                                                               | 1285 |
| -----      | Encoding Network Addresses to Support Operation over Non-OSI Lower Layers                      | 1277 |
| -----      | Replication and Distributed Operations extensions to provide an Internet Directory using X.500 | 1276 |
| -----      | The COSINE and Internet X.500 Schema                                                           | 1274 |
| BGP-MIB    | Definitions of Managed Objects for the Border Gateway Protocol: Version 3                      | 1269 |
| ICMP-ROUT  | ICMP Router Discovery Messages                                                                 | 1256 |
| STD-MIBs   | Reassignment of experimental MIBs to standard MIBs                                             | 1239 |
| IPX-IP     | Tunneling IPX traffic through IP networks                                                      | 1234 |
| IS-IS      | Use of OSI IS-IS for routing in TCP/IP and dual environments                                   | 1195 |
| IP-CMPRS   | Compressing TCP/IP headers for low-speed serial links                                          | 1144 |
| TOPT-XDL   | Telnet X display location option                                                               | 1096 |
| TOPT-TERM  | Telnet terminal-type option                                                                    | 1091 |
| TOPT-TS    | Telnet terminal speed option                                                                   | 1079 |
| TOPT-NAWS  | Telnet window size option                                                                      | 1073 |
| TOPT-X.3   | Telnet X.3 PAD option                                                                          | 1053 |
| TOPT-DATA  | Telnet Data Entry Terminal option: DODIIS implementation                                       | 1043 |
| TOPT-3270  | Telnet 3270 regime option                                                                      | 1041 |
| NNTP       | Network News Transfer Protocol                                                                 | 977  |
| TOPT-TLN   | Telnet terminal location number option                                                         | 946  |
| TOPT-OM    | Output marking Telnet option                                                                   | 933  |
| TOPT-TACAC | TACACS user identification Telnet option                                                       | 927  |
| TOPT-EOR   | Telnet end of record option                                                                    | 885  |
| TOPT-SNDL  | Telnet send-location option                                                                    | 779  |
| TOPT-SUP0  | Telnet SUPDUP-Output option                                                                    | 749  |
| TOPT-SUP   | Telnet SUPDUP option                                                                           | 736  |
| TOPT-BYTE  | Revised Telnet byte macro option                                                               | 735  |
| TOPT-LOG0  | Telnet logout option                                                                           | 727  |
| TOPT-REM   | Remote Controlled Transmission and Echoing Telnet option                                       | 726  |
| TOPT-EXT   | Telnet extended ASCII option                                                                   | 698  |

[Note: an asterisk at the end of a line indicates a change from the previous edition of this document.]

## 3.5. Best Current Practice by BCP

| Mnemonic | Title                                                                                                             | RFC# | BCP# |
|----------|-------------------------------------------------------------------------------------------------------------------|------|------|
| -----    | Best Current Practices                                                                                            | 1818 | 1    |
| -----    | Addendum to RFC 1602 -- Variance Procedure                                                                        | 1871 | 2    |
| -----    | Variance for The PPP Compression Control Protocol<br>and The PPP Encryption Control Protocol                      | 1915 | 3    |
| -----    | An Appeal to the Internet Community to Return<br>Unused IP Networks (Prefixes) to the IANA                        | 1917 | 4    |
| -----    | Address Allocation for Private Internets                                                                          | 1918 | 5    |
| -----    | Guidelines for creation, selection, and<br>registration of an Autonomous System (AS)                              | 1930 | 6    |
| -----    | Implications of Various Address Allocation<br>Policies for Internet Routing                                       | 2008 | 7    |
| -----    | IRTF Research Group Guidelines and Procedures                                                                     | 2014 | 8    |
| -----    | The Internet Standards Process -- Revision 3                                                                      | 2026 | 9    |
| -----    | IAB and IESG Selection, Confirmation, and Recall<br>Process: Operation of the Nominating and Recall<br>Committees | 3777 | 10   |
| -----    | The Organizations Involved in the IETF Standards<br>Process                                                       | 2028 | 11   |
| -----    | Internet Registry IP Allocation Guidelines                                                                        | 2050 | 12   |
| -----    | Multipurpose Internet Mail Extensions (MIME) Part<br>Four: Registration Procedures                                | 2048 | 13   |
| -----    | Key words for use in RFCs to Indicate Requirement<br>Levels                                                       | 2119 | 14   |
| -----    | Deployment of the Internet White Pages Service                                                                    | 2148 | 15   |
| -----    | Selection and Operation of Secondary DNS Servers                                                                  | 2182 | 16   |
| -----    | Use of DNS Aliases for Network Services                                                                           | 2219 | 17   |
| -----    | IETF Policy on Character Sets and Languages                                                                       | 2277 | 18   |
| -----    | IANA Charset Registration Procedures                                                                              | 2978 | 19   |
| -----    | Classless IN-ADDR.ARPA delegation                                                                                 | 2317 | 20   |
| -----    | Expectations for Computer Security Incident<br>Response                                                           | 2350 | 21   |
| -----    | Guide for Internet Standards Writers                                                                              | 2360 | 22   |
| -----    | Administratively Scoped IP Multicast                                                                              | 2365 | 23   |
| -----    | RSVP over ATM Implementation Guidelines                                                                           | 2379 | 24   |
| -----    | IETF Working Group Guidelines and Procedures                                                                      | 2418 | 25   |
| -----    | Guidelines for Writing an IANA Considerations<br>Section in RFCs                                                  | 2434 | 26   |
| -----    | Advancement of MIB specifications on the IETF<br>Standards Track                                                  | 2438 | 27   |

|       |                                                                                                                   |      |    |
|-------|-------------------------------------------------------------------------------------------------------------------|------|----|
| ----- | Enhancing TCP Over Satellite Channels using<br>Standard Mechanisms                                                | 2488 | 28 |
| ----- | Procedure for Defining New DHCP Options                                                                           | 2489 | 29 |
| ----- | Anti-Spam Recommendations for SMTP MTAs                                                                           | 2505 | 30 |
| ----- | Media Feature Tag Registration Procedure                                                                          | 2506 | 31 |
| ----- | Reserved Top Level DNS Names                                                                                      | 2606 | 32 |
| ----- | URN Namespace Definition Mechanisms                                                                               | 2611 | 33 |
| ----- | Changing the Default for Directed Broadcasts in<br>Routers                                                        | 2644 | 34 |
| ----- | Registration Procedures for URL Scheme Names                                                                      | 2717 | 35 |
| ----- | Guidelines for Writers of RTP Payload Format<br>Specifications                                                    | 2736 | 36 |
| ----- | IANA Allocation Guidelines For Values In the<br>Internet Protocol and Related Headers                             | 2780 | 37 |
| ----- | Network Ingress Filtering: Defeating Denial of<br>Service Attacks which employ IP Source Address<br>Spoofing      | 2827 | 38 |
| ----- | Charter of the Internet Architecture Board (IAB)                                                                  | 2850 | 39 |
| ----- | Root Name Server Operational Requirements                                                                         | 2870 | 40 |
| ----- | Congestion Control Principles                                                                                     | 2914 | 41 |
| ----- | Domain Name System (DNS) IANA Considerations                                                                      | 2929 | 42 |
| ----- | Procedures and IANA Guidelines for Definition of<br>New DHCP Options and Message Types                            | 2939 | 43 |
| ----- | Use of HTTP State Management                                                                                      | 2964 | 44 |
| ----- | IETF Discussion List Charter                                                                                      | 3005 | 45 |
| ----- | Recommended Internet Service Provider Security<br>Services and Procedures                                         | 3013 | 46 |
| ----- | Tags for the Identification of Languages                                                                          | 3066 | 47 |
| ----- | End-to-end Performance Implications of Slow Links                                                                 | 3150 | 48 |
| ----- | Delegation of IP6.ARPA                                                                                            | 3152 | 49 |
| ----- | End-to-end Performance Implications of Links with<br>Errors                                                       | 3155 | 50 |
| ----- | IANA Guidelines for IPv4 Multicast Address<br>Assignments                                                         | 3171 | 51 |
| ----- | Management Guidelines & Operational Requirements<br>for the Address and Routing Parameter Area<br>Domain ("arpa") | 3172 | 52 |
| ----- | GLOP Addressing in 233/8                                                                                          | 3180 | 53 |
| ----- | IETF Guidelines for Conduct                                                                                       | 3184 | 54 |
| ----- | Guidelines for Evidence Collection and Archiving                                                                  | 3227 | 55 |
| ----- | On the use of HTTP as a Substrate                                                                                 | 3205 | 56 |
| ----- | IANA Considerations for IPv4 Internet Group<br>Management Protocol (IGMP)                                         | 3228 | 57 |
| ----- | Defining the IETF                                                                                                 | 3233 | 58 |
| ----- | A Transient Prefix for Identifying Profiles under<br>Development                                                  | 3349 | 59 |
| ----- | Inappropriate TCP Resets Considered Harmful                                                                       | 3360 | 60 |

|       |                                                                                                                |      |     |
|-------|----------------------------------------------------------------------------------------------------------------|------|-----|
| ----- | Strong Security Requirements for Internet Engineering Task Force Standard Protocols                            | 3365 | 61  |
| ----- | Advice to link designers on link Automatic Repeat reQuest (ARQ)                                                | 3366 | 62  |
| ----- | Session Initiation Protocol (SIP) for Telephones (SIP-T): Context and Architectures                            | 3372 | 63  |
| ----- | Internet Assigned Numbers Authority (IANA) Considerations for the Lightweight Directory Access Protocol (LDAP) | 3383 | 64  |
| ----- | Dynamic Delegation Discovery System (DDDS) Part Five: URI.ARPA Assignment Procedures                           | 3405 | 65  |
| ----- | Uniform Resource Names (URN) Namespace Definition Mechanisms                                                   | 3406 | 66  |
| ----- | Change Process for the Session Initiation Protocol (SIP)                                                       | 3427 | 67  |
| ----- | Layer Two Tunneling Protocol (L2TP) Internet Assigned Numbers Authority (IANA) Considerations Update           | 3438 | 68  |
| ----- | TCP Performance Implications of Network Path Asymmetry                                                         | 3449 | 69  |
| ----- | Guidelines for the Use of Extensible Markup Language (XML) within IETF Protocols                               | 3470 | 70  |
| ----- | TCP over Second (2.5G) and Third (3G) Generation Wireless Networks                                             | 3481 | 71  |
| ----- | Guidelines for Writing RFC Text on Security Considerations                                                     | 3552 | 72  |
| ----- | An IETF URN Sub-namespace for Registered Protocol Parameters                                                   | 3553 | 73  |
| ----- | Coexistence between Version 1, Version 2, and Version 3 of the Internet-standard Network Management Framework  | 3584 | 74  |
| ----- | Session Initiation Protocol (SIP) Basic Call Flow Examples                                                     | 3665 | 75* |
| ----- | Session Initiation Protocol (SIP) Public Switched Telephone                                                    | 3666 | 76* |
| ----- | IETF ISOC Board of Trustee Appointment Procedures                                                              | 3677 | 77* |
| ----- | IETF Rights in Contributions                                                                                   | 3667 | 78* |
| ----- | Intellectual Property Rights in IETF Technology                                                                | 3668 | 79* |
| ----- | Delegation of E.F.F.3.IP6.ARPA                                                                                 | 3681 | 80* |
| ----- | The IETF XML Registry                                                                                          | 3688 | 81* |
| ----- | Assigning Experimental and Testing Numbers Considered Useful                                                   | 3692 | 82* |
| ----- | A Practice for Revoking Posting Rights to IETF Mailing Lists                                                   | 3683 | 83* |
| ----- | Ingress Filtering for Multihomed Networks                                                                      | 3704 | 84* |
| ----- | Best Current Practices for Third Party Call Control (3pcc) in the Session Initiation Protocol (SIP)            | 3725 | 85* |

|       |                                                                                                   |          |
|-------|---------------------------------------------------------------------------------------------------|----------|
| ----- | Determining Strengths For Public Keys Used For<br>Exchanging Symmetric Keys                       | 3766 86* |
| ----- | Use of Interior Gateway Protocol (IGP) Metric as<br>a second MPLS Traffic Engineering (TE) Metric | 3785 87* |
| ----- | IANA Considerations for the Point-to-Point<br>Protocol (PPP)                                      | 3818 88* |
| ----- | Advice for Internet Subnetwork Designers                                                          | 3819 89* |

[Note: an asterisk at the end of a line indicates a change from the previous edition of this document.]

## 3.6. Best Current Practice by RFC

| Mnemonic | Title                                                                                                         | BCP# | RFC#  |
|----------|---------------------------------------------------------------------------------------------------------------|------|-------|
| -----    | Advice for Internet Subnetwork Designers                                                                      | 89   | 3819* |
| -----    | IANA Considerations for the Point-to-Point Protocol (PPP)                                                     | 88   | 3818* |
| -----    | Use of Interior Gateway Protocol (IGP) Metric as a second MPLS Traffic Engineering (TE) Metric                | 87   | 3785* |
| -----    | IAB and IESG Selection, Confirmation, and Recall Process: Operation of the Nominating and Recall Committees   | 10   | 3777* |
| -----    | Determining Strengths For Public Keys Used For Exchanging Symmetric Keys                                      | 86   | 3766* |
| -----    | Best Current Practices for Third Party Call Control (3pcc) in the Session Initiation Protocol (SIP)           | 85   | 3725* |
| -----    | Ingress Filtering for Multihomed Networks                                                                     | 84   | 3704* |
| -----    | Assigning Experimental and Testing Numbers Considered Useful                                                  | 82   | 3692* |
| -----    | The IETF XML Registry                                                                                         | 81   | 3688* |
| -----    | A Practice for Revoking Posting Rights to IETF Mailing Lists                                                  | 83   | 3683* |
| -----    | Delegation of E.F.F.3.IP6.ARPA                                                                                | 80   | 3681* |
| -----    | IETF ISOC Board of Trustee Appointment Procedures                                                             | 77   | 3677* |
| -----    | Intellectual Property Rights in IETF Technology                                                               | 79   | 3668* |
| -----    | IETF Rights in Contributions                                                                                  | 78   | 3667* |
| -----    | Session Initiation Protocol (SIP) Public Switched Telephone                                                   | 76   | 3666* |
| -----    | Session Initiation Protocol (SIP) Basic Call Flow Examples                                                    | 75   | 3665* |
| -----    | Coexistence between Version 1, Version 2, and Version 3 of the Internet-standard Network Management Framework | 74   | 3584  |
| -----    | An IETF URN Sub-namespace for Registered Protocol Parameters                                                  | 73   | 3553  |
| -----    | Guidelines for Writing RFC Text on Security Considerations                                                    | 72   | 3552  |
| -----    | TCP over Second (2.5G) and Third (3G) Generation Wireless Networks                                            | 71   | 3481  |
| -----    | Guidelines for the Use of Extensible Markup Language (XML) within IETF Protocols                              | 70   | 3470  |
| -----    | TCP Performance Implications of Network Path Asymmetry                                                        | 69   | 3449  |
| -----    | Layer Two Tunneling Protocol (L2TP) Internet Assigned Numbers Authority (IANA) Considerations Update          | 68   | 3438  |

|       |                                                                                                                |         |
|-------|----------------------------------------------------------------------------------------------------------------|---------|
| ----- | Change Process for the Session Initiation Protocol (SIP)                                                       | 67 3427 |
| ----- | Uniform Resource Names (URN) Namespace Definition Mechanisms                                                   | 66 3406 |
| ----- | Dynamic Delegation Discovery System (DDDS) Part Five: URI.ARPA Assignment Procedures                           | 65 3405 |
| ----- | Internet Assigned Numbers Authority (IANA) Considerations for the Lightweight Directory Access Protocol (LDAP) | 64 3383 |
| ----- | Session Initiation Protocol (SIP) for Telephones (SIP-T): Context and Architectures                            | 63 3372 |
| ----- | Advice to link designers on link Automatic Repeat reQuest (ARQ)                                                | 62 3366 |
| ----- | Strong Security Requirements for Internet Engineering Task Force Standard Protocols                            | 61 3365 |
| ----- | Inappropriate TCP Resets Considered Harmful                                                                    | 60 3360 |
| ----- | A Transient Prefix for Identifying Profiles under Development                                                  | 59 3349 |
| ----- | Defining the IETF                                                                                              | 58 3233 |
| ----- | IANA Considerations for IPv4 Internet Group Management Protocol (IGMP)                                         | 57 3228 |
| ----- | Guidelines for Evidence Collection and Archiving                                                               | 55 3227 |
| ----- | On the use of HTTP as a Substrate                                                                              | 56 3205 |
| ----- | IETF Guidelines for Conduct                                                                                    | 54 3184 |
| ----- | GLOP Addressing in 233/8                                                                                       | 53 3180 |
| ----- | Management Guidelines & Operational Requirements for the Address and Routing Parameter Area Domain ("arpa")    | 52 3172 |
| ----- | IANA Guidelines for IPv4 Multicast Address Assignments                                                         | 51 3171 |
| ----- | End-to-end Performance Implications of Links with Errors                                                       | 50 3155 |
| ----- | Delegation of IP6.ARPA                                                                                         | 49 3152 |
| ----- | End-to-end Performance Implications of Slow Links                                                              | 48 3150 |
| ----- | Tags for the Identification of Languages                                                                       | 47 3066 |
| ----- | Recommended Internet Service Provider Security Services and Procedures                                         | 46 3013 |
| ----- | IETF Discussion List Charter                                                                                   | 45 3005 |
| ----- | IANA Charset Registration Procedures                                                                           | 19 2978 |
| ----- | Use of HTTP State Management                                                                                   | 44 2964 |
| ----- | Procedures and IANA Guidelines for Definition of New DHCP Options and Message Types                            | 43 2939 |
| ----- | Domain Name System (DNS) IANA Considerations                                                                   | 42 2929 |
| ----- | Congestion Control Principles                                                                                  | 41 2914 |
| ----- | Root Name Server Operational Requirements                                                                      | 40 2870 |
| ----- | Charter of the Internet Architecture Board (IAB)                                                               | 39 2850 |

|       |                                                                                                        |    |      |
|-------|--------------------------------------------------------------------------------------------------------|----|------|
| ----- | Network Ingress Filtering: Defeating Denial of Service Attacks which employ IP Source Address Spoofing | 38 | 2827 |
| ----- | IANA Allocation Guidelines For Values In the Internet Protocol and Related Headers                     | 37 | 2780 |
| ----- | Guidelines for Writers of RTP Payload Format Specifications                                            | 36 | 2736 |
| ----- | Registration Procedures for URL Scheme Names                                                           | 35 | 2717 |
| ----- | Changing the Default for Directed Broadcasts in Routers                                                | 34 | 2644 |
| ----- | URN Namespace Definition Mechanisms                                                                    | 33 | 2611 |
| ----- | Reserved Top Level DNS Names                                                                           | 32 | 2606 |
| ----- | Media Feature Tag Registration Procedure                                                               | 31 | 2506 |
| ----- | Anti-Spam Recommendations for SMTP MTAs                                                                | 30 | 2505 |
| ----- | Procedure for Defining New DHCP Options                                                                | 29 | 2489 |
| ----- | Enhancing TCP Over Satellite Channels using Standard Mechanisms                                        | 28 | 2488 |
| ----- | Advancement of MIB specifications on the IETF Standards Track                                          | 27 | 2438 |
| ----- | Guidelines for Writing an IANA Considerations Section in RFCs                                          | 26 | 2434 |
| ----- | IETF Working Group Guidelines and Procedures                                                           | 25 | 2418 |
| ----- | RSVP over ATM Implementation Guidelines                                                                | 24 | 2379 |
| ----- | Administratively Scoped IP Multicast                                                                   | 23 | 2365 |
| ----- | Guide for Internet Standards Writers                                                                   | 22 | 2360 |
| ----- | Expectations for Computer Security Incident Response                                                   | 21 | 2350 |
| ----- | Classless IN-ADDR.ARPA delegation                                                                      | 20 | 2317 |
| ----- | IETF Policy on Character Sets and Languages                                                            | 18 | 2277 |
| ----- | Use of DNS Aliases for Network Services                                                                | 17 | 2219 |
| ----- | Selection and Operation of Secondary DNS Servers                                                       | 16 | 2182 |
| ----- | Deployment of the Internet White Pages Service                                                         | 15 | 2148 |
| ----- | Key words for use in RFCs to Indicate Requirement Levels                                               | 14 | 2119 |
| ----- | Internet Registry IP Allocation Guidelines                                                             | 12 | 2050 |
| ----- | Multipurpose Internet Mail Extensions (MIME) Part Four: Registration Procedures                        | 13 | 2048 |
| ----- | The Organizations Involved in the IETF Standards Process                                               | 11 | 2028 |
| ----- | The Internet Standards Process -- Revision 3                                                           | 9  | 2026 |
| ----- | IRTF Research Group Guidelines and Procedures                                                          | 8  | 2014 |
| ----- | Implications of Various Address Allocation Policies for Internet Routing                               | 7  | 2008 |
| ----- | Guidelines for creation, selection, and registration of an Autonomous System (AS)                      | 6  | 1930 |
| ----- | Address Allocation for Private Internets                                                               | 5  | 1918 |
| ----- | An Appeal to the Internet Community to Return Unused IP Networks (Prefixes) to the IANA                | 4  | 1917 |

|       |                                                                                              |   |      |
|-------|----------------------------------------------------------------------------------------------|---|------|
| ----- | Variance for The PPP Compression Control Protocol<br>and The PPP Encryption Control Protocol | 3 | 1915 |
| ----- | Addendum to RFC 1602 -- Variance Procedure                                                   | 2 | 1871 |
| ----- | Best Current Practices                                                                       | 1 | 1818 |

[Note: an asterisk at the end of a line indicates a change from the previous edition of this document.]

## 3.7. Experimental Protocols

| Mnemonic | Title                                                                                                                                                                                    | RFC#  |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| -----    | SMIng - Next Generation Structure of Management Information                                                                                                                              | 3780* |
| -----    | Limited Slow-Start for TCP with Large Congestion Windows                                                                                                                                 | 3742* |
| -----    | Wave and Equation Based Rate Control (WEBRC) Building Block                                                                                                                              | 3738* |
| -----    | Using TCP Duplicate Selective Acknowledgement (DSACKs) and Stream Control Transmission Protocol (SCTP) Duplicate Transmission Sequence Numbers (TSNs) to Detect Spurious Retransmissions | 3708* |
| -----    | Compact Forward Error Correction (FEC) Schemes                                                                                                                                           | 3695* |
| -----    | Topology Dissemination Based on Reverse-Path Forwarding (TBRPF)                                                                                                                          | 3684* |
| -----    | The Generalized TTL Security Mechanism (GTSM)                                                                                                                                            | 3682* |
| -----    | Domain Administrative Data in Lightweight Directory Access Protocol (LDAP)                                                                                                               | 3663* |
| -----    | The Mailbox Update (MUPDATE) Distributed Mailbox Database Protocol                                                                                                                       | 3656* |
| -----    | HighSpeed TCP for Large Congestion Windows                                                                                                                                               | 3649* |
| -----    | Optimized Link State Routing Protocol (OLSR)                                                                                                                                             | 3626* |
| -----    | Multicast Source Discovery Protocol (MSDP)                                                                                                                                               | 3618* |
| -----    | Ad hoc On-Demand Distance Vector (AODV) Routing                                                                                                                                          | 3561* |
| -----    | Robust Explicit Congestion Notification (ECN) Signaling with Nonces                                                                                                                      | 3540  |
| -----    | Using Extensible Markup Language-Remote Procedure Calling (XML-RPC) in Blocks Extensible Exchange Protocol (BEEP)                                                                        | 3529  |
| -----    | Mesh-enhanced Service Location Protocol (mSLP)                                                                                                                                           | 3528  |
| -----    | The Eifel Detection Algorithm for TCP                                                                                                                                                    | 3522  |
| -----    | TCP Congestion Control with Appropriate Byte Counting (ABC)                                                                                                                              | 3465  |
| -----    | Forward Error Correction (FEC) Building Block                                                                                                                                            | 3452  |
| -----    | Layered Coding Transport (LCT) Building Block                                                                                                                                            | 3451  |
| -----    | Simple Network Management Protocol Over Transmission Control Protocol Transport Mapping                                                                                                  | 3430  |
| -----    | Select and Sort Extensions for the Service Location Protocol (SLP)                                                                                                                       | 3421  |
| -----    | The Application Exchange (APEX) Presence Service                                                                                                                                         | 3343  |
| -----    | Dual Stack Hosts Using "Bump-in-the-API" (BIA)                                                                                                                                           | 3338  |
| -----    | Policy-Based Accounting                                                                                                                                                                  | 3334  |
| -----    | PGM Reliable Transport Protocol Specification                                                                                                                                            | 3208  |
| -----    | Domain Security Services using S/MIME                                                                                                                                                    | 3183  |
| SMX      | Script MIB Extensibility Protocol Version 1.1                                                                                                                                            | 3179  |
| -----    | ISO/IEC 9798-3 Authentication SASL Mechanism                                                                                                                                             | 3163  |

|         |                                                                                             |      |
|---------|---------------------------------------------------------------------------------------------|------|
| -----   | Electronic Signature Policies                                                               | 3125 |
| -----   | A DNS RR Type for Lists of Address Prefixes (APL RR)                                        | 3123 |
| -----   | Finding an RSIP Server with SLP                                                             | 3105 |
| -----   | RSIP Support for End-to-end IPsec                                                           | 3104 |
| -----   | Realm Specific IP: Protocol Specification                                                   | 3103 |
| -----   | Realm Specific IP: Framework                                                                | 3102 |
| -----   | OpenLDAP Root Service An experimental LDAP referral service                                 | 3088 |
| -----   | Notification and Subscription for SLP                                                       | 3082 |
| -----   | MPLS Loop Prevention Mechanism                                                              | 3063 |
| -----   | Internet X.509 Public Key Infrastructure Data Validation and Certification Server Protocols | 3029 |
| -----   | Unified Memory Space Protocol Specification                                                 | 3018 |
| SAP     | Session Announcement Protocol                                                               | 2974 |
| -----   | Protocol Independent Multicast MIB for IPv4                                                 | 2934 |
| MASC    | The Multicast Address-Set Claim (MASC) Protocol                                             | 2909 |
| -----   | Generic AAA Architecture                                                                    | 2903 |
| -----   | DNS Extensions to Support IPv6 Address Aggregation and Renumbering                          | 2874 |
| -----   | TCP Congestion Window Validation                                                            | 2861 |
| TSWTCM  | A Time Sliding Window Three Colour Marker (TSWTCM)                                          | 2859 |
| -----   | OSPF over ATM and Proxy-PAR                                                                 | 2844 |
| PPP-SDL | PPP over Simple Data Link (SDL) using SONET/SDH with ATM-like framing                       | 2823 |
| -----   | Diffie-Helman USM Key Management Information Base and Textual Convention                    | 2786 |
| -----   | An HTTP Extension Framework                                                                 | 2774 |
| -----   | Encryption using KEA and SKIPJACK                                                           | 2773 |
| -----   | Sampling of the Group Membership in RTP                                                     | 2762 |
| -----   | Definitions of Managed Objects for Service Level Agreements Performance Monitoring          | 2758 |
| HTCP    | Hyper Text Caching Protocol (HTCP/0.0)                                                      | 2756 |
| -----   | RTFM: New Attributes for Traffic Flow Measurement                                           | 2724 |
| -----   | PPP EAP TLS Authentication Protocol                                                         | 2716 |
| -----   | SPKI Certificate Theory                                                                     | 2693 |
| -----   | SPKI Requirements                                                                           | 2692 |
| -----   | QoS Routing Mechanisms and OSPF Extensions                                                  | 2676 |
| DNS     | Binary Labels in the Domain Name System                                                     | 2673 |
| -----   | The Secure HyperText Transfer Protocol                                                      | 2660 |
| -----   | Security Extensions For HTML                                                                | 2659 |
| -----   | LDAPv2 Client vs. the Index Mesh                                                            | 2657 |
| -----   | Registration Procedures for SOIF Template Types                                             | 2656 |
| -----   | CIP Index Object Format for SOIF Objects                                                    | 2655 |
| -----   | A Tagged Index Object for use in the Common Indexing Protocol                               | 2654 |
| -----   | An LDAP Control and Schema for Holding Operation Signatures                                 | 2649 |
| -----   | Mapping between LPD and IPP Protocols                                                       | 2569 |

|            |                                                                                                                              |      |
|------------|------------------------------------------------------------------------------------------------------------------------------|------|
| IPP-RAT    | Rationale for the Structure of the Model and Protocol<br>for the Internet Printing Protocol                                  | 2568 |
| IPP-DG     | Design Goals for an Internet Printing Protocol                                                                               | 2567 |
| DNS-INFO   | Detached Domain Name System (DNS) Information                                                                                | 2540 |
| PHOTURIS-E | Photuris: Extended Schemes and Attributes                                                                                    | 2523 |
| PHOTURIS-S | Photuris: Session-Key Management Protocol                                                                                    | 2522 |
| ICMP-SEC   | ICMP Security Failures Messages                                                                                              | 2521 |
| NHRP-MNHCS | NHRP with Mobile NHCs                                                                                                        | 2520 |
| -----      | URI Resolution Services Necessary for URN Resolution                                                                         | 2483 |
| MARS-SCSP  | A Distributed MARS Service Using SCSP                                                                                        | 2443 |
| PIM-SM     | Protocol Independent Multicast-Sparse Mode<br>(PIM-SM): Protocol Specification                                               | 2362 |
| -----      | Domain Names and Company Name Retrieval                                                                                      | 2345 |
| RTP-MPEG   | RTP Payload Format for Bundled MPEG                                                                                          | 2343 |
| -----      | Intra-LIS IP multicast among routers over ATM<br>using Sparse Mode PIM                                                       | 2337 |
| -----      | The Safe Response Header Field                                                                                               | 2310 |
| LDAP-NIS   | An Approach for Using LDAP as a Network Information<br>Service                                                               | 2307 |
| HTTP-RVSA  | HTTP Remote Variant Selection Algorithm -- RVSA/1.0                                                                          | 2296 |
| TCN-HTTP   | Transparent Content Negotiation in HTTP                                                                                      | 2295 |
| TOPT-COMPO | Telnet Com Port Control Option                                                                                               | 2217 |
| -----      | Core Based Trees (CBT) Multicast Routing Architecture                                                                        | 2201 |
| -----      | Core Based Trees (CBT version 2) Multicast Routing<br>-- Protocol Specification --                                           | 2189 |
| -----      | A Trivial Convention for using HTTP in URN Resolution                                                                        | 2169 |
| MAP-MAIL   | MaXIM-11 - Mapping between X.400 / Internet mail<br>and Mail-11 mail                                                         | 2162 |
| MIME-ODA   | A MIME Body Part for ODA                                                                                                     | 2161 |
| OSPF-DIG   | OSPF with Digital Signatures                                                                                                 | 2154 |
| IP-SCSI    | Encapsulating IP with the Small Computer System<br>Interface                                                                 | 2143 |
| X.500-NAME | Managing the X.500 Root Naming Context                                                                                       | 2120 |
| GKMP-ARCH  | Group Key Management Protocol (GKMP) Architecture                                                                            | 2094 |
| GKMP-SPEC  | Group Key Management Protocol (GKMP) Specification                                                                           | 2093 |
| TFTP-MULTI | TFTP Multicast Option                                                                                                        | 2090 |
| IP-Echo    | IP Echo Host Service                                                                                                         | 2075 |
| TOPT-CHARS | TELNET CHARSET Option                                                                                                        | 2066 |
| URAS       | Uniform Resource Agents (URAs)                                                                                               | 2016 |
| GPS-AR     | GPS-Based Addressing and Routing                                                                                             | 2009 |
| ETFTP      | Experiments with a Simple File Transfer Protocol<br>for Radio Links using Enhanced Trivial File<br>Transfer Protocol (ETFTP) | 1986 |
| BGP-RR     | BGP Route Reflection An alternative to full mesh IBGP                                                                        | 1966 |
| SMKD       | Scalable Multicast Key Distribution                                                                                          | 1949 |
| -----      | OSI NSAPs and IPv6                                                                                                           | 1888 |
| DNS-LOC    | A Means for Expressing Location Information in<br>the Domain Name System                                                     | 1876 |

|            |                                                                                                                                    |      |
|------------|------------------------------------------------------------------------------------------------------------------------------------|------|
| SGML-MT    | SGML Media Types                                                                                                                   | 1874 |
| CONT-MT    | Message/External-Body Content-ID Access Type                                                                                       | 1873 |
| UNARP      | ARP Extension - UNARP                                                                                                              | 1868 |
| BGP-IDRP   | A BGP/IDRP Route Server alternative to a full mesh routing                                                                         | 1863 |
| ESP3DES    | The ESP Triple DES Transform                                                                                                       | 1851 |
| -----      | SMTP 521 Reply Code                                                                                                                | 1846 |
| -----      | SMTP Service Extension for Checkpoint/Restart                                                                                      | 1845 |
| ST2        | Internet Stream Protocol Version 2 (ST2) Protocol Specification - Version ST2+                                                     | 1819 |
| -----      | Communicating Presentation Information in Internet Messages: The Content-Disposition Header                                        | 1806 |
| -----      | Schema Publishing in X.500 Directory                                                                                               | 1804 |
| -----      | MHS use of the X.500 Directory to support MHS Routing                                                                              | 1801 |
| -----      | Class A Subnet Experiment                                                                                                          | 1797 |
| TCP/IPXMIB | TCP/IPX Connection Mib Specification                                                                                               | 1792 |
| -----      | TCP And UDP Over IPX Networks With Fixed Path MTU                                                                                  | 1791 |
| ICMP-DM    | ICMP Domain Name Messages                                                                                                          | 1788 |
| CLNP-MULT  | Host Group Extensions for CLNP Multicasting                                                                                        | 1768 |
| OSPF-OVFL  | OSPF Database Overflow                                                                                                             | 1765 |
| RWP        | Remote Write Protocol - Version 1.0                                                                                                | 1756 |
| NARP       | NBMA Address Resolution Protocol (NARP)                                                                                            | 1735 |
| DNS-ENCODE | DNS Encoding of Geographical Location                                                                                              | 1712 |
| TCP-POS    | An Extension to TCP : Partial Order Service                                                                                        | 1693 |
| T/TCP      | T/TCP -- TCP Extensions for Transactions Functional Specification                                                                  | 1644 |
| MIME-UNI   | Using Unicode with MIME                                                                                                            | 1641 |
| FOOBAR     | FTP Operation Over Big Address Records (FOOBAR)                                                                                    | 1639 |
| X500-CHART | Charting Networks in the X.500 Directory                                                                                           | 1609 |
| X500-DIR   | Representing IP Information in the X.500 Directory                                                                                 | 1608 |
| SNMP-DPI   | Simple Network Management Protocol Distributed Protocol Interface Version 2.0                                                      | 1592 |
| CLNP-TUBA  | Use of ISO CLNP in TUBA Environments                                                                                               | 1561 |
| REM-PRINT  | Principles of Operation for the TPC.INT Subdomain: Remote Printing -- Technical Procedures                                         | 1528 |
| DASS       | DASS - Distributed Authentication Security Service                                                                                 | 1507 |
| EHF-MAIL   | Encoding Header Field for Internet Messages                                                                                        | 1505 |
| RAP        | RAP: Internet Route Access Protocol                                                                                                | 1476 |
| TP-IX      | TP/IX: The Next Internet                                                                                                           | 1475 |
| -----      | Routing Coordination for X.400 MHS Services Within a Multi Protocol / Multi Network Environment Table Format V3 for Static Routing | 1465 |
| -----      | Using the Domain Name System To Store Arbitrary String Attributes                                                                  | 1464 |
| IRCP       | Internet Relay Chat Protocol                                                                                                       | 1459 |
| SIFT       | SIFT/UFT: Sender-Initiated/Unsolicited File Transfer                                                                               | 1440 |
| DIR-ARP    | Directed ARP                                                                                                                       | 1433 |
| TEL-SPX    | Telnet Authentication: SPX                                                                                                         | 1412 |

|            |                                                                                                                         |      |
|------------|-------------------------------------------------------------------------------------------------------------------------|------|
| TEL-KER    | Telnet Authentication: Kerberos Version 4                                                                               | 1411 |
| TRACE-IP   | Traceroute Using an IP Option                                                                                           | 1393 |
| DNS-IP     | An Experiment in DNS Based IP Routing                                                                                   | 1383 |
| RMCP       | Remote Mail Checking Protocol                                                                                           | 1339 |
| MSP2       | Message Send Protocol 2                                                                                                 | 1312 |
| DSLCP      | Dynamically Switched Link Control Protocol                                                                              | 1307 |
| -----      | X.500 and Domains                                                                                                       | 1279 |
| IN-ENCAP   | Scheme for an internet encapsulation protocol:<br>Version 1                                                             | 1241 |
| CLNS-MIB   | CLNS MIB for use with Connectionless Network Protocol<br>(ISO 8473) and End System to Intermediate<br>System (ISO 9542) | 1238 |
| CFDP       | Coherent File Distribution Protocol                                                                                     | 1235 |
| IP-AX.25   | Internet protocol encapsulation of AX.25 frames                                                                         | 1226 |
| ALERTS     | Techniques for managing asynchronously generated<br>alerts                                                              | 1224 |
| MPP        | Message Posting Protocol (MPP)                                                                                          | 1204 |
| SNMP-BULK  | Bulk Table Retrieval with the SNMP                                                                                      | 1187 |
| DNS-RR     | New DNS RR Definitions                                                                                                  | 1183 |
| IMAP2      | Interactive Mail Access Protocol: Version 2                                                                             | 1176 |
| NTP-OSI    | Network Time Protocol (NTP) over the OSI Remote<br>Operations Service                                                   | 1165 |
| DMF-MAIL   | Digest message format                                                                                                   | 1153 |
| RDP        | Version 2 of the Reliable Data Protocol (RDP)                                                                           | 1151 |
| -----      | Standard for the transmission of IP datagrams<br>on avian carriers                                                      | 1149 |
| TCP-ACO    | TCP alternate checksum options                                                                                          | 1146 |
| -----      | The Q Method of Implementing TELNET Option Negotiation                                                                  | 1143 |
| IP-DVMRP   | Distance Vector Multicast Routing Protocol                                                                              | 1075 |
| VMTP       | VMTP: Versatile Message Transaction Protocol                                                                            | 1045 |
| COOKIE-JAR | Distributed-protocol authentication scheme                                                                              | 1004 |
| NETBLT     | NETBLT: A bulk data transfer protocol                                                                                   | 998  |
| IRTP       | Internet Reliable Transaction Protocol functional<br>and interface specification                                        | 938  |
| LDP        | Loader Debugger Protocol                                                                                                | 909  |
| RDP        | Reliable Data Protocol                                                                                                  | 908  |
| RLP        | Resource Location Protocol                                                                                              | 887* |

[Note: an asterisk at the end of a line indicates a change from the previous edition of this document.]

#### 4. Security Considerations

This memo does not affect the technical security of the Internet, but it does cite a number of important security specifications.

#### 5. Editors' Addresses

Joyce K. Reynolds  
USC/Information Sciences Institute  
4676 Admiralty Way  
Marina del Rey, CA 90292

Phone: +1 310-822-1511  
Fax: +1 310-823-6714  
EMail: jkrey@ISI.EDU

Sandy Ginoza  
USC/Information Sciences Institute  
4676 Admiralty Way  
Marina del Rey, CA 90292

Phone: +1 310-822-1511  
Fax: +1 310-823-6714  
EMail: ginoza@ISI.EDU

## 6. Full Copyright Statement

Copyright (C) The Internet Society (2004). This document is subject to the rights, licenses and restrictions contained in BCP 78 and at [www.rfc-editor.org](http://www.rfc-editor.org), and except as set forth therein, the authors retain all their rights.

This document and the information contained herein are provided on an "AS IS" basis and THE CONTRIBUTOR, THE ORGANIZATION HE/SHE REPRESENTS OR IS SPONSORED BY (IF ANY), THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

## Intellectual Property

The IETF takes no position regarding the validity or scope of any Intellectual Property Rights or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; nor does it represent that it has made any independent effort to identify any such rights. Information on the ISOC's procedures with respect to rights in ISOC Documents can be found in BCP 78 and BCP 79.

Copies of IPR disclosures made to the IETF Secretariat and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification can be obtained from the IETF on-line IPR repository at <http://www.ietf.org/ipr>.

The IETF invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights that may cover technology that may be required to implement this standard. Please address the information to the IETF at [ietf-ipr@ietf.org](mailto:ietf-ipr@ietf.org).

## Acknowledgement

Funding for the RFC Editor function is currently provided by the Internet Society.

